

SCHED8 – Outstanding Natural Features

Note: For some outstanding natural features, the scheduled area does not match the legal parcel boundaries. Please see the planning maps to determine the area of a site that the listing applies to.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF01		Anaomaki Point volcanic section	On west coast, south of Kawhia	Taharoa A1C11 Block	E - Fragile exposures of geological material	Well preserved and southernmost occurrence of Orangiwhao Volcanics. Only volcanic centre in Waitomo District. Regional Importance.
ONF02		Aranui Cave	Adjacent to Ruakuri Cave carpark, Tumutumu Road	Part Section 7 Block X Orahiri SD	F - Caves	Dense speleothem assemblage. Tourist cave. National Importance.
ONF03		Arataura Point Jurassic sequence Mapped with ONF17	Kawhia Harbour, outer coast between Te Maika and Albatross Point	Taharoa A1B2 Block Section 34 Parawai MAORI TNSP	E - Fragile exposures of geological material	Stratotype of the New Zealand Jurassic, Aratauran Stage. National Importance.
ONF04		Awakino Gorge tunnel Oligocene and Miocene record	North end of Awakino Gorge Road, SH3	Lot 3 DP 17787 Part Lot 1 DPS 76143 Part of SH3 Stream	D - Robust exposures of geological material (non-coastal)	Most easily seen and one of the best exposed sequences recording the Oligocene and Miocene sedimentary and tectonic history of north Taranaki. Regional Importance.
ONF05		Awakino River mouth barrier	North side of Awakino River mouth	Sections 2, 3 & 14 Block VII Awakino North SD Lot 2 DP 542687 Paper Road	C - Dynamic landforms and features in the coastal zone	The largest river mouth barrier in the district. Regional Importance.
ONF06		Awakino River mouth evidence of earliest volcanism	South side of Awakino River mouth	Lot 3 DPS 53621 Estuary	E - Fragile exposures of geological material	Best and most easily accessible exposure of onset of volcanism off west coast of Waikato-North Taranaki. Regional Importance.
ONF07		Castle Craig bluffs	Ridge south of Marokopa Road	Part Marokopa 4 Block Marokopa 4D Block	A - Large landforms (non-coastal)	Impressive isolated limestone citadel surrounded by high bluffs. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
				Section 4 Block IX Kawhia South SD		
ONF08		Deception Cave	East of Troopers Road	Lot 1 DP 401497 Part Sections 13, 14 & 15 Block VI Otakeke SD Lot 2 DPS 19376 Lot 1 DPS 22202	F - Caves	Spectacular gypsum speleothems. National Importance.
ONF09		Double Falls	Tawarau River	Part Sections 3 & 5 Block XV Kawhia South SD Lot 1 DPS 62998 Stream	B - Smaller more fragile landforms	Double waterfalls like this uncommon in Waikato region. Regional Importance.
ONF10		Eight Mile Junction ignimbrite bluffs	1 km south of Eight Mile Junction	Maraetaua 3B2A Block Maraetaua 3B1B Block	A - Large landforms (non-coastal)	Best and most visible columnar-jointed ignimbrite bluffs in Waitomo District. Regional Importance.
ONF11		Gardners Gut Cave	Either side of Te Anga Road	Lot 1 DPS 12461 Lot 1 DPS 81508 Lot 2 DP 543849 Lot 2 DP 310690 Lots 1 & 3 DP 550308 Part Sections 6, 7 & 8 Block X Orahiri SD Sections 14, 27, 30 Block X Orahiri SD Part Uekaha A17 Block Part Hauturu East 3B5 Block Hauturu East 3A Reserve Block Te Anga Road	F - Caves	Longest cave in the North Island (approx. 12km long). High recreational and education use. Significant speleothems, fossil and sediment deposits. Example of two-tier development. National Importance.
ONF12		Grand Canyon Cave	South side of Haku Road, Piopio	Lot 1 DPS 35511 Lot 1 DPS 88201	F - Caves	Large horizontal passage - part of a dismembered cave system, entrances either end. Maternity roost for long tail bats. National Importance.
ONF13		Heteri Point Jurassic fossils	South shore of Kawhia Harbour	Taharoa A6D4A1 Block Taharoa A6D1 Block Kawhia Harbour	E - Fragile exposures of geological material	Stratotype of Late Jurassic New Zealand Heterian Stage. National Importance.
ONF14		Hikurangi Falls, Paritikon Stream	Paritikon Road, Mangaokewa	Lot 1 DP 13188	B - Smaller more fragile landforms	Named waterfall over hard early Miocene sedimentary rocks. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF15		Hollow Hill Cave	Hollow Hill Reserve, Hauturu. DoC	Lots 1 & 2 DPS 7481	F - Caves	Largest cave chamber in North Island. Large horizontal stream passage, three small inlet passages; excellent speleothems. Regional Importance.
ONF16		Kairimu Cave System	West of end of Kairimu Road	Lots 1 & 2 DP 418282	F - Caves	Several named caves that may be linked. Significant sedimentary deposits, biota and speleothems. Regional Importance.
ONF17		Kawhia West Coast Early to middle Jurassic fossiliferous sequence	On west coast south of Kawhia Harbour mouth	Taharoa A1B2 Block Section 34 Parawai MAORI TNSP Paper Road	E - Fragile exposures of geological material	Most important, continuous and fossiliferous Lower to Middle Jurassic sequence in New Zealand. Stratotypes of NZ Jurassic stages Ururoan and Aratauran. Includes important Dactylioceras bed with a rich fossil fauna. National Importance.
ONF18		Kiritehere Coast Triassic section	For 7km south from Kiritehere Beach	Section 3A & 6 Block I Whareorino SD Kinohaku West H1B2 Block Lot 1 DPS 73112	E - Fragile exposures of geological material	Best continuous exposure of Triassic sequence in North Island including many New Zealand stages and rich fossil beds. National Importance.
ONF19		Kuratahi Cave	West of Mangaotaki Road, Piopio	Puketiti 4C & 5D Block	F - Caves	Kuratahi has dendritic development, gypsum crystal trees and other significant gypsum speleothems, sediment deposits. Regional Importance.
ONF20		Lake Harihari sand-dune dammed lake	South of Taharoa	Taharoa A7A2A Block Part Section 11 Block III Marokopa SD Taharoa A7J13B2B Block	B - Smaller more fragile landforms	One large and one small lake dammed by moving coastal sand dunes, surrounded by swamp lands. Regional Importance.
ONF21		Lake Rotokawau	South Waitomo	Waitomo A12B & A12A2 Blocks	B - Smaller more fragile landforms	Small lake at head of small side valley of unknown origin - landslide blocked or karst solution. Surrounded by native forest. Regional Importance.
ONF22		Lake Rotokotuku	East of Te Kuiti	Kaingaika A17 Block Part of Tate Road	B - Smaller more fragile landforms	Well defined small lake with no overflow drainage in limestone area. Regional Importance.
ONF23		Lake Taharoa dune-dammed lakes	Taharoa, south of Kawhia	TAHAROA A7 J13 A Block Taharoa A7A2A Block Part Taharoa A7A Block	A - Large landforms (non-coastal)	Largest dune-dammed lake on Waikato west coast and several smaller ones. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF24		Lower Mangaotaki Gorge	On either side of SH3, 12-14 km southwest of Piopio	Part Section 5, 13 Block III Awakino East SD Puketiti 2B2E2B Block Section 4, 13 Block III Awakino East SD Lot 1 DPS 57443 Section 1 SO 58593 Part of Stream Part of SH3	A - Large landforms (non-coastal)	Most publicly visible limestone gorge in Waitomo District. Regional Importance.
ONF25		Mahoenui coal mine Miocene coal measures	7 km north of Awakino gorge tunnel	Part Mahoenui A1 Block	D - Robust exposures of geological material (non-coastal)	Exposures of Miocene Mokau Formation and Maryville Coal Measures, with under and overlying marine sandstones. Many thin coal seams. Regional Importance.
ONF26		Mangaokewa Stream scalloped ignimbrite bluffs	North side of Mangaokewa Road	Section 5 Block XI Pakaumanu SD	B - Smaller more fragile landforms	Easily seen, unusual scalloped bluffs of ignimbrite with small waterfall. Regional Importance.
ONF27		Mangaokewa Valley ignimbrite-capped castle hill	North side of Mangaokewa Road	Part Section 10 Block XI Pakaumanu SD	B - Smaller more fragile landforms	Best and most easily seen example of an ignimbrite-capped steep-sided circular hill (butte-like) in region. Regional Importance.
ONF28		Mangaorongo limestone gorge and natural bridges	7 km along Mangaorongo Stream	Lot 2 DP 10929 Sections 30 & 31 Block II Awakino East SD Section 6 Block XIV Maungamangero SD Lot 2 DPS 86365 Crown Land Lot 1 DPS 88201 Part Lot 1 DPS 21756 Part Sections 1 & 8 Block II Awakino East SD Mangaorongo Road Stream	B - Smaller more fragile landforms	Spectacular limestone gorge with karst bluffs and rocks, several natural bridges. Regional Importance.
ONF29		Mangaotaki overhang	North side of Mangaotaki Road, west of Piopio	Section 42 Block VII Maungamangero SD Lot 2 DP 486511 Lot 2 Sec 11 Block VII Maungamangero SD	B - Smaller more fragile landforms	Best "breaking-wave" overhang in the region. Easily visible from public road. National Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF30		Mangapohue natural bridge	North side of Te Anga Road	Lots 1 & 2 DPS 8794 Part Kinohaku West L2B1 Block Part Taumatotara 1A2 Block Stream	B - Smaller more fragile landforms	One of most spectacular and accessible natural bridges in North Island. Tourist feature, unusual in that it has 2 tiers. National Importance.
ONF31		Mangapohue-Hauturu Road polygonal karst	Northeast side of Te Anga Road, and either side of Hauturu Road	Lot 2 DP 336434 Section 3 Block IX Orahiri SD Part Section 10 Block XII Kawhia South SD Lot 1 DP 408891 Lots 1 & 2 DPS 90176 Lot 1 DPS 76476 Lot 1 DPS 73365 Lots 1, 2, 3 DP 493460 Section 2 Block V Orahiri SD Part Section 3 Block V Orahiri SD Lot 1 DPS 86369 Section 11 Block IX Orahiri SD Hauturu Road Te Anga Road	A - Large landforms (non-coastal)	Most accessible and readily seen (from roads) area of temperate cockpit polygonal karst in NZ. Includes disappearing streams, blind valleys, sinkholes, springs, arches and fluted bluffs. Includes sinkholes, dry valleys, caves and bridges. International Importance.
ONF32		Mangapu Cave System Includes Lost World, Hamland Hole, Wellington Hole	Between Oparure and Troopers Roads	Lots 1 & 2 DPS 85156 Lot 1 DPS 45583 Lot 1 DPS 92476 Lot 1 DPS 77191 Lot 2 DP 327172 Lot 2 DPS 76735 Lot 2 DPS 64000 Part Kinohaku East 2No24C & 2No24D1 Blocks Kinohaku East 2No24D2B Block Section 38 Block II Otake SD Pakeho A 18, 19A & 19B Blocks Troopers Road	F - Caves	Claimed to be the second largest underground river in North Island. Many important speleothems including the only calcite shields and the only aragonite speleothems so far recognised in North Island. Major use for tourism and recreation. Two side caves nearby have some of densest straws and best calcite speleothem assemblages in New Zealand. Best example of karst window in New Zealand. National Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF33		Mangapu Gorge and blind valley	South east of Oparure Road	Lots 1 & 2 DP 442789 Lot 1 DPS 92476 Lot 1 DPS 77191 Lot 2 DPS 76735 Lot 4 DP 10239 Lot 2 DPS 85156 Lot 1 DPS 5484 Whiroroa 1 & A1 Blocks Part Kinohaku East 2No24B1 Block	A - Large landforms (non-coastal)	Where the Mangapu Stream sinks is best example of a blind valley in the Waitomo District. Regional Importance.
ONF34		Mangawharawhara Stream natural bridges & tunnels	4 km of stream course, south of Haki Road, Piopio	Puketiti 3A, 4B, 4C, 3B2D Blocks Lot 1 DPS 35511 Lot 1 DPS 88201 Lot 1 DP 12503	A - Large landforms (non-coastal)	Spectacular karst landscape including Mangawharawhara Cavern, one of the two largest natural tunnels in the North Island. The presence of 2 tunnels and 5 bridges of such large size along one stream is unique in New Zealand. Catchment with numerous dolines, stream sinks, blind valleys and resurgences. National Importance.
ONF35		Mangawhitikau Gorge	3km length of stream bed, east of end of Waipapa Road, Waitomo	Lots 1 & 2 DPS 90988 Lot 1 DPS 80752 Lot 1 DPS 88192 Lot 1 DPS 20590 Lot 2 DPS 82239 Pakeho A12, A13, A14 Blocks Section 13 Block XIV Orahi SD Sections 16 & 17 Block XIII Orahi SD Section 6 Block I Otanake SD Paper Road	A - Large landforms (non-coastal)	Spectacular 1 km-long slit gorge incised in Oligocene limestone. Scenically attractive towering limestone karst formations. Runs into large glowworm cave. Regional Importance.
ONF36		Mangawhitikau Cave System	South side of Boddies Road, Waitomo	Lot 1 DPS 90193 Lot 1 DPS 88192 Lot 2 DPS 82239 Lot 2 DPS 90988 Lot 3 DP 415545 Pakeho A5, A6, A7 Blocks Pakeho A9 (Urupa) Block	F - Caves	One of the largest river caves in North Island. High recreational and tourist value. Over 8 km of cave passage. Classic two-tiered geomorphic development and dry valley leading to former stream cave upstream. Includes Mason's Dry Cave (fossil deposits), Flood Caverns, Mason's Glowworm Cave, Mangawhitikau Gorge

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
				Pakeho A11, A12, A13, A14 Blocks Paper Road		and other small caves. National Importance.
ONF37		Marokopa Falls	Next to Te Anga Road	Sections 26 & 27 Block X Kawhia South SD Part Section 4 Block X Kawhia South SD Part Section 7 Block X Kawhia South SD Te Anga Road Stream	B - Smaller more fragile landforms	Largest waterfall in Waitomo District. Spectacular high falls flow over greywacke bluff from level of Oligocene peneplain. Regional Importance.
ONF38		Marokopa Road quarry Jurassic fauna	On side of Marokopa Valley Road	Section 19 Block VI Marokopa SD Marokopa Road	D - Robust exposures of geological material (non-coastal)	Richest middle Jurassic fossil fauna in New Zealand. National Importance.
ONF39		Marokopa River natural tunnel and Te Ana Kapiti Cave	Within Kokakoroa polygonal karst overlay area	Part Lot 5B DP 7464 Taumatotara A5 (Residue) Block	B - Smaller more fragile landforms	One of two largest natural tunnel features in the North Island. Contains speleothems and glow-worms. National Importance.
ONF40		Marokopa Coast Triassic-Jurassic fossil-bearing sequence	Between Marokopa and Kiritehere in coastal cliffs and rocks	Kinohaku West P2A Block Section 5 Block VI Marokopa SD Lot 1, 2, 3, 4 DPS 13923 Paper Road	E - Fragile exposures of geological material	Most complete and best exposed sequence through upper Triassic strata in the North Island. National Importance.
ONF41		Marokopa River mouth sandspit and dune field	North side of Marokopa River mouth	Marokopa 6 Block Marokopa Reserve Block Marokopa River	C - Dynamic landforms and features in the coastal zone	One of the most pristine southward-extending sandspits on the west Waikato coastline. Fixed dunes and swamps at north end. Regional Importance.
ONF42		Mokau River estuary	Lower 3 km of Mokau River	Motutawa Block Crown Land Survey Office Plan 18074 Lot 2 DP 498807 Lot 3 DP 411632 Lots 4, 5, 6 DP 7459 Lot 27 DP 3174 Part Lot 2 DP 11321 Part Hingarangi Kauri 3A Block	C - Dynamic landforms and features in the coastal zone	Most natural, least modified tidal estuary in Waitomo District. Flooded meandering river. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
				Sections 12, 23, 24, 26, 27, 28 Block I Awakino SD Sections 2, 6 Block II Awakino SD Part Section 3 Block II Awakino SD Mokau Mohakatino 1C2B Part Mokau Mohakatino 2C3A1 & 2C3A2 Blocks Part Section 1 SO 13220 Part Section 6 Block I Tainui SD Section 1 Block I Tainui SD Sections 1, 2, 3, 4, 5, 7 Block II Tainui SD Sections 1, 2 SO 13604 Section 18 Block XI Mokau VILL Section 5 Block VII Mokau VILL Te Mahoe Road State Highway H3		
ONF43		Ohaua Point Jurassic fossils	South coast of Kawhia Harbour	SA Joseph GRANT Part Wesleyan GRANT	E - Fragile exposures of geological material	Stratotype of Late Jurassic New Zealand Ohauan Stage, with rich macrofossils. National Importance.
ONF44		Omaru Falls	Walking Track from Omaru Road	Section 2 Block VIII Totoro SD Crown Land Block VII (under action) Mapara Survey District Section 25 Block VII Mapara SD Stream	B - Smaller more fragile landforms	Classic curtain waterfall held up by thick cemented limestone unit. One of highest single drop waterfalls in Waitomo District. Regional Importance.
ONF45		Paparahia Cave	Paparahia Station	Lot 1 DPS 75032	F - Caves	Stream passage in Miocene limestone with beautiful speleothems. Regional Importance.
ONF46		Piripiri Public Cave	North side Te Anga Road	Part Section 4 Block X Kawhia South SD	F - Caves	Easily accessible small tourist cave, free access. Speleothems inside entrance cavern. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF47		Pukeroa Cave System	West side of Mangaorongo Road	Section 2 SO 538954 Sections 12, 14, 15 Block II Awakino East SD Lot 1 DPS 50480 Part Lot 1 DPS 21756 Mangaorongo Road	F - Caves	Second deepest known cave in the North Island. Crystal pools, speleothems, fossils. Recreational use. Major streamway, waterfalls, multiple entrances. Regional Importance.
ONF48		Puketiti Flower Cave	On Puketiti Station	Lot 1 DPS 88201	F - Caves	Speleothems - gypsum flowers. Gated cave to protect the delicate cave formations since 1970s. National Importance.
ONF49		Puketutu ignimbrite amphitheatre and waterfall	South side of SH30, 3 km south of Puketutu	Part Lot 1 DP 5312	B - Smaller more fragile landforms	Readily visible amphitheater of columnar-jointed ignimbrite that has been eroded back by small stream that forms waterfall over it. Regional Importance.
ONF50		Pureora buried forest	3 km northeast of Pureora Village	Section 3 SO 441383	E - Fragile exposures of geological material	Best studied and most easily accessible site of a forest and its forest floor fauna knocked over and buried by Taupo eruption 1800 years ago. National Importance.
ONF51		Rauroa Stream Jurassic fossils	North of north end of Awakino Gorge	Lot 1 DPS 79871	D - Robust exposures of geological material (non-coastal)	Rare sequence of middle Jurassic marine fossil faunas. Regional Importance.
ONF52		Reserve Cave	On either side of Tumutumu Road	Lot 3 DP 356799 Part Section 25 Block X Orahiri SD Section 1 SO 40772 Lot 1 DP 356799 Tumutumu Road	F - Caves	Contains thick ignimbrite deposits from Kidnappers Tephra eruptions 1.2 Ma. Paleokarst fragment, oldest known cave in the Waitomo area. National Importance.
ONF53		Ruakuri natural bridge and karst	Just south of Waitomo	Part Sections 2A, 6, 7 Block X Orahiri SD	B - Smaller more fragile landforms	Spectacular tourist features. High natural bridge with dog leg of Waitomo Stream passing through it. National Importance.
ONF54		Ruakuri Cave	Just south of Waitomo	Part Section 6 Block X Orahiri SD Section 22 Block X Orahiri SD Lot 1 DPS 80309 Waitomo A11A Block	F - Caves	Major tourist cave. Large stream passage. Speleothem assemblages. Historic tourist cave. Approx. 4 km of passage. Current tourism use. Horizontal stream system containing c. 4 km of passage in Oligocene

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
				Ruakuri Road		limestone, some upper levels. National Importance.
ONF55		South Awakino Bluffs and waterfall	East side of SH3, just south of Awakino	Lot 1 DPS 21285 Section 2 SO 482206	A - Large landforms (non-coastal)	One of most visible high waterfalls in District. Unusual bluffs of Miocene sandstone showing groundwater flowing through the sandstone and out along the bluff. Regional Importance.
ONF56		Southern Awakino Gorge Miocene unconformity on greywacke	On side of SH3	Part Mahoenui 4B Block State Highway 3	D - Robust exposures of geological material (non-coastal)	Excellent exposure of steeply dipping Murihiku Supergroup rocks containing rich Monotis beds unconformably overlain by Mokau sandstone. Regional Importance.
ONF57		Tawarau caves and karst	Mostly west of Tawarau River	Lot 1 DP 418282 Section 17 Block II Maungamangero SD Part Kinohaku West SS1 Block Part Section 5 Block XV Kawhia South SD Part Sections 6 & 12 Block XI Kawhia South SD Section 2 Block XIV Kawhia South SD Part Section 9 Block II Maungamangero SD Part Section 19 Block X Kawhia South SD Kinohaku West S1B2 Block Speedies Road Stream	A - Large landforms (non-coastal)	Most extensive cave and karst system in North Island that is still under natural forest. Regional Importance.
ONF58		Tawarau Falls	Tawarau River	Taumatotara A5 (Residue) Block	B - Smaller more fragile landforms	25 m high cascade waterfall over Oligocene Te Kuiti Group rocks. Regional Importance.
ONF59		Te Maika Point Jurassic sequence and fossil forest	South head of Kawhia Harbour entrance	Lot 64 DPS 60648 Paper Road	E - Fragile exposures of geological material	Second best Jurassic fossil forest in New Zealand (after Curio Bay). Stratotype of middle Triassic Te Maikan Stage. Mostly non-marine sedimentary sequence with tree stumps in-situ. National Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF60		Ten Acre tomo and associated caves	At end of Mangaorongo Road	Sections 6, 7 Block II Awakino East SD Lot 1 DPS 87113 Mangaorongo Road	A - Large landforms (non-coastal)	Impressive large collapse feature with associated caves. Regional Importance.
ONF61		Totara Point and Captain Kings Shell Bed Jurassic fossils	South coast of Kawhia Harbour	Part Section 36 Parawai MAORI TNSP Paper Road	E - Fragile exposures of geological material	Lower part of stratotype of New Zealand Late Jurassic Heterian Stage, includes historically important Captain Kings Shellbed containing a rich bivalve and brachiopod fossils. National Importance.
ONF62		Totoro Gorge karst	On Mokau River upstream from Totoro Road	Lot 1 DPS 27278 Lot 1 DP 21072 Karuotewhenua B2B8B Block Wairoma Road River	B - Smaller more fragile landforms	Easily accessible and one of the best examples of sculptured limestone karstic river gorges and adjacent areas in the District. Includes fluting, tors and canyons. Regional Importance.
ONF63		Troopers Road Cave System (=Black system - F1, Fred, Virginia)	Southwest of Troopers Road	Part Karuotewhenua 3C2B Block Lot 2 DP 435222 Lot 2 DP 11009 Lot 1 DP 9884 Part Kinohaku East 2No24C & 2No24D1 Blocks Lot 2 DPS 85156 Part Section 22 Block II Otake SD Whiroroa 1 Block Troopers Road	F - Caves	One of the most extensive cave systems in North Island. Selenite needles, calcite speleothems. Major fossil deposits. High recreational value. National Importance.
ONF64		Waikawau Beach Miocene sediments	West coast cliffs for 2 km north of Waikawau River	Section 11 Block X Whareorino SD Paper Road	E - Fragile exposures of geological material	Best and most easily accessible exposure through late Miocene sedimentary sequence in the Waikato Region deposited between 11 and 10 Myr ago. Regional Importance.
ONF65		Waikawau River meandering estuary	Lower 1 km of estuary	Kinohaku West E1C & E1D2A2 Blocks Part Kinohaku West E1E2 & E1F1 Blocks River	C - Dynamic landforms and features in the coastal zone	Some of best and most easily seen cut-off river meander loops in district at upper end of natural estuary. Regional Importance.
ONF66		Waipa River exhumed fossil	True right bank of Waipa River	Rangitoto A41 Block River	E - Fragile exposures of	Decapitated, charred and blown over tree trunks that were killed and buried by the ignimbrite flow from the Taupo

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
		forest buried by Taupo Eruption			geological material	Eruption 1800 years ago. Recently exhumed by river floods - some trunks stand tall on flood plain - several are still seen in terrace bank exposures buried by the Ignimbrite. National Importance.
ONF67		Waipapa Road cave system	On both sides of end of Waipapa Road	Lot 1 DPS 69714 Lot 1 DPS 75255 Lot 1 DPS 83758 Kinohaku East 25B2B Block Sections 4, 6, 7 Block I Otanake SD Section 17 Block XIII Orahiri SD Waipapa Road	F - Caves	Multiple caves in two systems. High recreational use. Speleothems include best calcified tree roots in district. Regional Importance.
ONF68		Waipuna polygonal karst	Both sides of Waipuna Road, Waitomo	Sections 4, 5, 6, 7 SO 432380 Ototoika B8 Block Lot 2 DP 523623 Lot 2 DP 470622 Part Lot 2 DP 28909 Lot 2 DPS 82515 Lot 2 DP 475252 Sections 8 & 9 Block XIII Orahiri SD Kinohaku East 1B2B1 Block Lot 1 DPS 86664 Waipuna Road Paper Road	A - Large landforms (non-coastal)	High-density deep polygonal karst over surface, disappearing streams and blind valleys. Temperate cockpit karst. Forested. National Importance.
ONF69		Waipuna Cave	East of Waipuna Road, Waitomo under forest	Lot 2 DP 470622 Part Lot 2 DP 28909 Lot 2 DP 523623	F - Caves	Only major cave in Waitomo area with forested catchment (this can affect speleothem growth, biota, sedimentation). Impressive speleothems. Regional Importance.
ONF70		Wairere Falls and Cave	West of Wairere bridge on Aria Road	Part Karuotewhenua B5A Block Aria Road Stream	B - Smaller more fragile landforms	Waterfall over basement greywacke with exposures of limestone, karst and a cave unconformably on top. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF71		Wairere serpentinite, rodingite and rosenhahnite	Disused Wairere serpentinite quarry, Kohua Road	Aorangi B2B2B1 Block	D - Robust exposures of geological material (non-coastal)	Only exposure in North Island of Dun Mountain Ophiolite Terrane - serpentinite between Murihiku and Waipapa Terranes. Only known occurrence of rosenhahnite in New Zealand. Exposure of serpentinite faulted against Oligocene limestone. National Importance.
ONF72		Waitanguru Falls	On east side of Mangaotaki Road, 20 km from Piopio. In Waitanguru Scenic Reserve	Section 38 Block VI Maungamangero SD	B - Smaller more fragile landforms	One of the highest waterfalls over greywacke in the Waitomo District. Regional Importance.
ONF73		Waitomo Stream headwaters cave system (Waitomo master system cave)	West of Waipuna Road	Lot 1 DPS 83902 Lots 1, 2, 3, 4 DP 316928 Lot 2 DPS 80793 Lot 1 DPS 5385 Lot 2 DP 470622 Sections 5 & 6 SO 432380 Section 8 Block XIII Orahiri SD Kinohaku East 1B2B1 Block Lot 1 DPS 74884 Lot 1 DPS 86664 Lot 3 DP 493460 Part Lot 1 DPS 86555 Waipuna Road Paper Road	F - Caves	One of the longer caves in the North Island. High recreational and tourism use. Important speleothems (calcite (pearls), palygorskite), fossil deposits (best known Mappins Bush Moa). Consists of many medium length caves linked hydrologically. National Importance.
ONF74		Waitomo Glowworm Cave	Waitomo tourist cave	Hauturu East 8, 9, 11, 21 Blocks Section 10 Block X Orahiri SD Waitomo Village Road	F - Caves	Nationally important, internationally renowned tourist cave for its accessibility and glowworms. Good speleothems. National Importance.
ONF75		Waitoru karst lake	South side of SH3, 8 km southwest of Piopio	Part Karuotewhenua B2B7C2A2 Block	B - Smaller more fragile landforms	One of most publicly visible sinkhole lakes in Waitomo District. Regional Importance.

Unique Identifier	Map Ref	Site Name	Location	Legal Description	Site Type	Description of Values
ONF76		Whakapirau Road Jurassic fossils	Road cuttings on east side of Whakapirau Road	Lots 1 & 2 DPS 91613 Road reserve	D - Robust exposures of geological material (non-coastal)	Most accessible sequence of fossil-rich Jurassic in district. Regional Importance.

SCHEDULE 8