

# DESIGNATIONS | Ngā Tautapanga

## Chorus Designations

DESIGNATIONS

Te Kūiti Exchange	
<b>Designation unique identifier</b>	CNZ01
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Part Allot 16 Block VIII Te Kūiti Maori Township (RT: SA49A/444) 48 Taupiri Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Microwave Repeater Station	
<b>Designation unique identifier</b>	CNZ02
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Part Section 2 Block IX Awakino North SD (RT: SA44C/785 and SA46B/312) 1378 Taumatamairi Road, Awakino
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Secondary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Microwave Repeater Station	
<b>Designation unique identifier</b>	CNZ03
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Part Section 10 Block VI Otanake SD and Part Lot DD DP 7219 (RT: SA47A/579) State Highway 3, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mokau Exchange	
Designation unique identifier	CNZ04
Designation purpose	Telecommunications, radiocommunications and ancillary purposes
Site identifier	Section 16 Block IV Mokau Village (RT: SA46B/313) 2 Rerenga Street, Mokau
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or building) shall not exceed 15m above ground level (excluding any lightning rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> <li>3. Any new mast and antennas shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>4. Antennas mounted on the roof of buildings shall not extend more than 3m above the maximum height of the highest part of the roof, provided that they comply with Condition 1, and shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>5. In regard to conditions 1-4 above, the dimensions of any antennas, masts and head frames shall comply with the Resource Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.</li> </ol> <p><u>Outline Plans</u></p> <ol style="list-style-type: none"> <li>6. That an Outline Plan of works shall not be required for <ol style="list-style-type: none"> <li>(a) any internal building works (excluding equipment generating external noise);</li> <li>(b) replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;</li> <li>(c) the replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;</li> <li>(d) general site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.</li> </ol> </li> </ol> <p><u>Noise</u></p> <ol style="list-style-type: none"> <li>7. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following noise limits: <ol style="list-style-type: none"> <li>(a) the boundary of any adjacent residential or rural residential zoned property: <p>7am - 10pm on any day: Leq 50 dB(A)</p> </li> </ol> </li> </ol>

	<p>10pm - 7am on any day: Leq 40 dB(A)</p> <p>8. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 7 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.</p> <p>9. For any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 7, an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.</p> <p>10. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.</p> <p><u>Radiofrequency Fields</u></p> <p>11. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252772.1.1.999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.</p>
<b>Additional information</b>	New designation

<b>Aria Exchange</b>	
<b>Designation unique identifier</b>	CNZ05
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Section 2 SO 12918 (RT: TNH4/949) Barclay Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or building) shall not exceed 15m above ground level (excluding any lightning rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> <li>3. Any new mast and antennas shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>4. Antennas mounted on the roof of buildings shall not extend more than 3m above the maximum height of the highest part of the roof,</li> </ol>

provided that they comply with Condition 1, and shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.

5. In regard to conditions 1-4 above, the dimensions of any antennas, masts and head frames shall comply with the Resource Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.

#### Outline Plans

6. That an Outline Plan of works shall not be required for
  - (a) any internal building works (excluding equipment generating external noise);
  - (b) replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;
  - (c) the replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;
  - (d) general site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.

#### Noise

7. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following noise limits:
  - (a) the boundary of any adjacent residential or rural residential zoned property:
 

7am - 10pm on any day: Leq 50 dB(A)

10pm - 7am on any day: Leq 40 dB(A)
8. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 7 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.
9. For any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 7, an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.
10. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.

#### Radiofrequency Fields

11. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252772.1.:1.999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.

#### **Additional information**

New designation

Maniaiti / Benneydale Exchange	
<b>Designation unique identifier</b>	CNZ06
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Lot 1 DP 7349 (RT: TNH4/748) 21 Ellis Road, Maniaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or building) shall not exceed 15m above ground level (excluding any lightning rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> <li>3. Any new mast and antennas shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>4. Antennas mounted on the roof of buildings shall not extend more than 3m above the maximum height of the highest part of the roof, provided that they comply with Condition 1, and shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>5. In regard to conditions 1-4 above, the dimensions of any antennas, masts and head frames shall comply with the Resource Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.</li> </ol> <p><u>Outline Plans</u></p> <ol style="list-style-type: none"> <li>6. That an Outline Plan of works shall not be required for: <ol style="list-style-type: none"> <li>(a) any internal building works (excluding equipment generating external noise);</li> <li>(b) replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;</li> <li>(c) the replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;</li> <li>(d) general site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.</li> </ol> </li> </ol> <p><u>Noise</u></p> <ol style="list-style-type: none"> <li>7. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following noise limits <ol style="list-style-type: none"> <li>(a) the boundary of any adjacent residential or rural residential zoned property: <p>7am - 10pm on any day: Leq 50 dB(A)</p> </li> </ol> </li> </ol>

	<p>10pm - 7am on any day: Leq 40 dB(A)</p> <p>8. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 7 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.</p> <p>9. For any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 7, an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.</p> <p>10. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.</p> <p><u>Radiofrequency Fields</u></p> <p>11. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252772.1.:1.999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.</p>
<b>Additional information</b>	New designation

<b>Mahoenui Exchange</b>	
<b>Designation unique identifier</b>	CNZ07
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	<p>Section 1 SO 20154 (RT: SA47C/376)</p> <p>Section 1 SO 37404 (RT: SA47C/377)</p> <p>10 Main Street, Mahoenui</p>
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act 1991</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or a building) shall not exceed 25m above ground level (excluding any lightening rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> <li>3. Antennas mounted on the roof of buildings shall not extend more than 5m above the maximum height of the highest part of the roof, provided that they comply with Condition 1.</li> <li>4. In regard to conditions 1-3 above, the dimensions of any antennas, masts and head frames shall comply with the Resource</li> </ol>

Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.

#### Outline Plans

5. That an Outline Plan of works shall not be required for
  - (a) Any internal building works (excluding equipment generating external noise);
  - (b) Replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;
  - (c) The replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;
  - (d) General site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.

#### Noise

6. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following limits:
  - (a) At the boundary of any adjacent residential or rural residential zoned property:
  - (b) or At the notional boundary 20m from the facade of any dwelling in a rural zone, or at the site boundary, whichever is closest to the dwelling:
    - 7am- 10pm on any day: Leq 50 dB(A)
    - 10pm - 7am on any day: Leq 40 dB(A)
7. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 6 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.
8. For any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 6, an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.
9. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.

#### Radiofrequency Fields

10. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252712.1.:1999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.

#### **Additional information**

New designation

Piopio Exchange	
<b>Designation unique identifier</b>	CNZ08
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Lot 2 DPS 53486 (RT: SA45D/678) 45A Moa Street, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or building) shall not exceed 15 m above ground level (excluding any lightning rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> <li>3. Any new mast and antennas shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>4. Antennas mounted on the roof of buildings shall not extend more than 5m above the maximum height of the highest part of the roof, provided that they comply with Condition 1, and shall comply with a height in relation to boundary control from any adjoining residential or rural residential zoned boundaries of 2.5m high at the boundary and 45 degrees.</li> <li>5. In regard to conditions 1-4 above, the dimensions of any antennas, masts and head frames shall comply with the Resource Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.</li> </ol> <p><u>Outline Plans</u></p> <ol style="list-style-type: none"> <li>6. That an Outline Plan of works shall not be required for: <ol style="list-style-type: none"> <li>(a) any internal building works (excluding equipment generating external noise);</li> <li>(b) replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;</li> <li>(c) the replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;</li> <li>(d) general site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.</li> </ol> </li> </ol> <p><u>Noise</u></p> <ol style="list-style-type: none"> <li>7. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following noise limits: <ol style="list-style-type: none"> <li>(a) At the boundary of any adjacent residential or rural residential zoned property:</li> </ol> </li> </ol>



	<p>7am - 10pm on any day: Leq 50 dB(A)  10pm - 7am on any day: Leq 40 dB(A)</p> <p>(b) At the boundary of any adjacent business zoned property:  7am- 10pm on any day: Leq 55 dB(A)  10pm - 7am on any day: Leq 45 dB(A)</p> <p>8. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 9 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.</p> <p>9. for any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 7 an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.</p> <p>10. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.</p> <p><u>Radiofrequency Fields</u></p> <p>11. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252772.7:1999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.</p>
<b>Additional information</b>	New designation

<b>Waitanguru Pole</b>	
<b>Designation unique identifier</b>	CNZ09
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Part Section 30 Waitanguru Village (RT: SA46B/589) Maire Road, Mangaotaki
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Masts and Antennas</u></p> <ol style="list-style-type: none"> <li>1. The height of any new mast and any antennas (mounted on a mast or a building) shall not exceed 25m above ground level (excluding any lightning rod).</li> <li>2. Notwithstanding Condition 1, antennas attached to masts existing as at 20 October 2022 may be upgraded, reconfigured or additional antennas installed, provided that there is no overall increase in height where Condition 1 would otherwise not be met.</li> </ol>

3. Antennas mounted on the roof of buildings shall not extend more than 5m above the maximum height of the highest part of the roof, provided that they comply with Condition 1.
4. In regard to conditions 1-3 above, the dimensions of any antennas, masts and head frames shall comply with the Resource Management (National Environmental Standards for Telecommunications Facilities) Regulations 2016 or any subsequent replacement standard where any equipment is regulated by that standard.

#### Outline Plans

5. That an Outline Plan of works shall not be required for
  - (a) Any internal building works (excluding equipment generating external noise);
  - (b) Replacement of equipment where the new equipment is of a similar size in height, breadth and depth and subject to compliance with noise conditions set out below;
  - (c) The replacement of any antennas with antennas of similar size provided that there is no increase in the overall height of the facility;
  - (d) General site maintenance and repair work, or boundary fencing otherwise permitted by the District Plan.

#### Noise

6. Any new noise generating equipment (excluding any engine alternator required for emergency back-up power generation) shall not exceed the following limits:
  - (a) At the boundary of any adjacent residential or rural residential zoned property;
  - (b) or At the notional boundary 20m from the facade of any dwelling in a rural zone, or at the site boundary, whichever is closest to the dwelling:

7am- 10pm on any day: Leq 50 dB(A)

10pm - 7am on any day: Leq 40 dB(A)

7. Any new noise generating equipment (excluding any engine alternator required for emergency backup power generation) shall cumulatively in combination with any other noise generating equipment on the site not result in any increase in existing noise levels received at any other property boundary where the noise levels in Condition 6 are exceeded. A noise assessment may need to be submitted as part of any outline plan (depending on circumstances such as the nature of the noise generating equipment, remoteness of the site, and proximity to sensitive boundaries) to confirm the existing noise levels and predicted new noise levels to confirm compliance with this condition.
8. For any changes or additions to the engine alternators on the site, where the noise from all engine alternators exceeds the noise limits in Condition 6, an outline plan shall be required which demonstrates how the equipment and any mitigation is the best practicable option (BPO) to ensure that noise levels do not exceed a reasonable level.

	<p>9. The requiring authority shall adopt the best practicable option to ensure emission of noise from its designated site does not exceed a reasonable level.</p> <p><u>Radiofrequency Fields</u></p> <p>10. Any equipment transmitting radiofrequency energy shall comply with the exposure levels stated in New Zealand Standard N252712.1.:1999 or any successor standard as required by the National Environmental Standards for Telecommunications Facilities at any place where the public has reasonable access.</p>
<b>Additional information</b>	New designation

# First Gas Limited Designations

Te Kūiti south sales gate	
Designation unique identifier	FGL01
Designation purpose	Gas Transmission
Site identifier	Lot 1 DPS 39832 (RT: SA39B/893) 1 State Highway 30, Te Kūiti
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Te Kūiti south lateral	
Designation unique identifier	FGL02
Designation purpose	Gas transmission
Site identifier	From FGL14 1785178.6, 5754498.6 to FGL01 1790688.7, 5753716.9
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Te Kūiti north sales gate	
Designation unique identifier	FGL03
Designation purpose	Gas transmission
Site identifier	Lot 1 DPS 32256 (RT: SA31D/134) 1538 State Highway 3, Te Kūiti
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Te Kūiti north lateral	
Designation unique identifier	FGL04
Designation purpose	Gas transmissions
Site identifier	From FGL05 1786138.2, 5757491.6 to FGL03 1787344.3, 5756781.7
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Te Kūiti MLV	
Designation unique identifier	FLG05
Designation purpose	Gas transmission
Site identifier	Lot 1 DPS 28091 (RT: SA36D/777) Oparure Road, Te Kūiti
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Mairoa Road MLV	
Designation unique identifier	FLG06
Designation purpose	Gas transmission
Site identifier	Lot 1 DPS 28090 (RT: SA33B/63) Mairoa Road, Piopio
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Mahoenui Compressor Station	
Designation unique identifier	FLG07
Designation purpose	Gas transmission

<b>Site identifier</b>	Lot 1 DPS 78189 (RT: SA62A/670) Papakauri Road, Mahoenui
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Oparure MLV</b>	
<b>Designation unique identifier</b>	FLG08
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	Part Te Uira A5B Block (RT: 289689) Oparure Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Maui pipeline</b>	
<b>Designation unique identifier</b>	FLG09
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	From the boundary with New Plymouth District, where it meets State Highway 3 in the south 1740311.8, 5714166.3; to the boundary with Otorohanga District in the north 1790915.6, 5767656.3
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Mangaotaki MLV</b>	
<b>Designation unique identifier</b>	FLG10
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	Part Lot 3 DP 11419 (SO 45164) Mangaotaki Road, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)

<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Mahoenui scraper station</b>	
<b>Designation unique identifier</b>	FLG11
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	Lot 1 DPS 28158 (RT: SA33D/92) State Highway 3, Mahoenui
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Kapuni pipeline</b>	
<b>Designation unique identifier</b>	FLG12
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	From the boundary with New Plymouth District, where it meets State Highway 3 in the south 1740312.6, 5714175.7; to the boundary with Otorohanga District in the north 1790943.2, 5767610.1
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Awakau MLV</b>	
<b>Designation unique identifier</b>	FLG13
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	Mangaawakino 4D2B Block ML 419589 (RT: 484399) Awakau Road, Awakino
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary

<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti south offtake</b>	
<b>Designation unique identifier</b>	FLG14
<b>Designation purpose</b>	Gas transmission
<b>Site identifier</b>	Lot 1 DPS 69476 (RT: SA55D/137) Mangatea Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation



# KiwiRail Holdings Limited Designations

KiwiRail Holdings Limited	
<b>Designation unique identifier</b>	KRH01
<b>Designation purpose</b>	Railway purposes
<b>Site identifier</b>	Railway Lines within Waitomo District comprising the North Island Main Trunk (NIMT) Line on land from Poroo-tarao (442.5km NIMT) to Hangatiki (485.4km NIMT)
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# Meteorological Services of New Zealand Limited Designations

Automatic Weather Station	
<b>Designation unique identifier</b>	MSNZ01
<b>Designation purpose</b>	Weather Observation
<b>Site identifier</b>	Taharoa C Block (RT: SA34B/688) Taharoa Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# Minister of Corrections Designations

DESIGNATIONS

Community Corrections Centre	
<b>Designation unique identifier</b>	MCOR01
<b>Designation purpose</b>	Corrections purposes
<b>Site identifier</b>	Part Allotment 7 and 33 Block XIV Te Kūiti Maori Township (RT: SA45D/267) 9 Queen Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# Minister of Education Designations

**Advice note:** Education Purposes means for the purpose of these designations shall, in the absence of specific conditions to the contrary:

- I. Enable the use of the facilities on the site by and for the educational benefit of any school age students (i. e. years 0 to 13) and early childhood children regardless of whether they are enrolled at the institution located on that designated site.
- II. Enable the provision of supervised care and study opportunities for students outside school hours in school facilities.
- III. Enable the provision of community education (e.g. night classes for adults) outside school hours in school facilities and which will not be restricted to the primary syllabus taught to school age children during school hours.
- IV. Include but not be limited to the provision of academic, sporting, social and cultural education including through:
  - i) Formal and informal recreational, sporting and outdoor activities and competitions whether carried out during or outside school hours;
  - ii) Formal and informal cultural activities and competitions whether carried out during or outside school hours;
  - iii) The provision of specialist hubs and units (including language immersion units and teen parent units) for children with particular educational requirements or special needs.
- V. Enable the use of facilities for purposes associated with the education of students including school assemblies, functions, fairs and other gatherings whether carried out during or outside school hours.
- VI. Enable the provision of associated administrative services; carparking and vehicle manoeuvring; and health, social services and medical services (including dental clinics and sick bays).
- VII. Enable housing on site for staff members whose responsibilities require them to live on site (e.g. school caretaker) and their families.

Aria School	
<b>Designation unique identifier</b>	MEDU01
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Section 13 Aria Suburban (SO 2621) Part Section 54 & Closed Road Aria Suburban (SO 9214) Barclay Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Benneydale School	
<b>Designation unique identifier</b>	MEDU02
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Section 9 Block X Mapara SD (SO 8958) 60 Mine Road, Maniaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Centennial Park School	
<b>Designation unique identifier</b>	MEDU03
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Te Kūiti 2B10 Block (ML 7017) Te Kūiti A40 Block (ML 14710, SO 37130) Part Te Kūiti 2B1J2B1 Block (ML 9718, SO 37130) Section 11 Block IV Otanake SD (SO 29926) 50 Te Kūiti Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Kinohaku School	
<b>Designation unique identifier</b>	MEDU04
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Lot 2 DP 8331 Lot 1 DP 8750 and Lot 1 DPS 85736 (RT: SA67D/565) 24 Kawhia Harbour Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mokau School	
<b>Designation unique identifier</b>	MEDU05
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Section 1 Block III Village of Mokau (RT: SA814/2) Section 2 Block III Village of Mokau (RT: SA820/165) Sections 3-8 Block III Village of Mokau (RT: SA623/162) Closed Road SO 42791 Sections 1- 5 Block IV Village of Mokau (SO 4233) 7 Rangi Street, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Piopio College	
<b>Designation unique identifier</b>	MEDU06
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Piopio A1A1 and A1B Block (RT: 356129) 18 Aria Road, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Piopio School	
<b>Designation unique identifier</b>	MEDU07
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Kinohaku East 4B1 Block (RT: 353438) Part Lot 1 DPS 4555 Part Lot 1 DPS 25009 and Old Stream Bed (SO 52672) 14 Aria Road, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Piripiri School	
<b>Designation unique identifier</b>	MEDU08
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Section 8 Block X Kawhia South SD (SO 25604) 2703 Te Anga Road, Te Anga
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Pukenui School	
<b>Designation unique identifier</b>	MEDU09
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Allots 15-18 Block XVII Te Kūiti Maori Township (SO 42557) Part Lots 2-5 DP 9641 (SO 42557) Part Lots 2-3 DP 9620 (SO 42557) Part Lots 1-3 DP 7224 (SO 42557) Part Allots 14, 23 & 24 Block XVII Te Kūiti Maori Township (SO 42557) 85 King Street West, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Rangitoto School	
<b>Designation unique identifier</b>	MEDU10
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Rangitoto Tuhua 26F2D2 Block (SO 23322) 949 Rangitoto Road, Rangitoto
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

St Joseph's Catholic School	
<b>Designation unique identifier</b>	MEDU11
<b>Designation purpose</b>	Education purposes

<b>Site identifier</b>	Allot 3-5 Block XVII Te Kūiti Maori Township (RT: SA935/161) Allot 22 Block XIV Te Kūiti Maori Township (RT: SA674/147) Allot 23-24 Block XIV Te Kūiti Maori Township (RT: SA2019/27) Allot 25 Block XIV Te Kūiti Maori Township (RT: SA2019/8) Allot 26 Block XIV Te Kūiti Maori Township (RT: SA2019/26) Allot 27 Block XIV Te Kūiti Maori Township (RT: SA1485/18) Allot 28 Block XIV Te Kūiti Maori Township (RT: SA1485/17) Allot 29 Block XIV Te Kūiti Maori Township (RT: SA745/299) Allot 31 Block XIV Te Kūiti Maori Township (RT: SA713/37) 26 Seddon Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kura O Tahaaroa</b>	
<b>Designation unique identifier</b>	MEDU12
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Taharoa 2 Block (RT: SA178/13) Taharoa Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti High School</b>	
<b>Designation unique identifier</b>	MEDU13
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Lot 9 DP 16188 Lot 1 & 6 DP 34583 Part Lot 13 DP 6731 (SO 37132) Part Lot 3 DP 18943 (SO 37132, SO 553077) Part Lot 4 DP 18943 (SO 37132) Lot 11 DPS 4189 (SO 553077) 41 Hospital Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation



Te Kūiti Primary School	
<b>Designation unique identifier</b>	MEDU14
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Section 27 & 28 Block III Otanake SD (SO 12201) 1 Rora Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Te Wharekura O Maniapoto	
<b>Designation unique identifier</b>	MEDU15
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Kinohaku East 1F16 Block (RT: SA133/196) Part Kinohaku East 1F16 Block (RT: SA25C/1015) Part Ototoika A17A Block (ML 17442, SO 50392) 308 Oparure Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Waitomo Caves School	
<b>Designation unique identifier</b>	MEDU16
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Section 26 Block X Orahiri SD (SO 35120) Part Hauturu East 1A5C Block (SO 37760) Part Hauturu East 1A5C Block (SO 36968) Part Section 18 Block X Orahiri SD (RT: SA748/61) Part Section 23 Block X Orahiri SD (SO 31250) Closed Road SO 36968 Closed Road SO 31250 Part Lot 1 DP 30223 (RT: SA748/60) 17 Waitomo Village Road, Waitomo
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Whareorino School	
<b>Designation unique identifier</b>	MEDU17
<b>Designation purpose</b>	Education purposes
<b>Site identifier</b>	Part Section 3 Block X Whareorino SD (SO 43027) 8 Waikawau Road, Waikawau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

## Minister of Courts Designations

Te Kūiti Courthouse	
<b>Designation unique identifier</b>	MJUS01
<b>Designation purpose</b>	Judicial, court, tribunal and related purposes including collection of fines and reparation, administration, support, custodial services, and ancillary activities. Works include development and operation of land and buildings for aforementioned purposes.
<b>Site identifier</b>	Part Allots 9 and 11 Block XIV Te Kūiti Maori Township (RT: SA45D/267) 11 Queen Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# Minister of Police / NZ Police Designations

Te Kūiti Police Station	
Designation unique identifier	MPOL01
Designation purpose	Police station
Site identifier	Part Allots 1 & 2 Block XIV Te Kūiti Maori Township (SO 15982, SO 51862) 62 Carroll Street, Te Kūiti
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Piopio Police Station	
Designation unique identifier	MPOL02
Designation purpose	Police station
Site identifier	Lot 1 DP 27135 (SO 30384) 17 Tui Street, Piopio
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Benneydale Police Station	
Designation unique identifier	MPOL03
Designation purpose	Police station
Site identifier	Lot 9 DP 6917 66 Ellis Road, Maniaiti / Benneydale
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	No
Additional information	Rollover designation

Mokau Police Station	
<b>Designation unique identifier</b>	MPOL04
<b>Designation purpose</b>	Police station
<b>Site identifier</b>	Section 2 Block II Mokau Village (RT: SA39B/155) Tainui Street, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# New Zealand Transport Agency Designations

State Highway 3	
Designation unique identifier	NZTA01
Designation purpose	To construct, operate, maintain, and improve a state highway and associated infrastructure.
Site identifier	State Highway 3 from the Otorohanga District boundary in the north to the New Plymouth District boundary in the south.
Lapse date	Given effect to (i.e. no lapse date)
Designation hierarchy under section 177 of the Resource Management Act	Primary
Conditions	<p>The conditions of the Designation (DS0001) still to be complied with by the Requiring Authority.</p> <p><b>ULDMP Implementation, Inspection and Remediation</b></p> <p>9.6 Deleted</p> <p>9.7 A report on the outcomes of the inspection shall be forwarded to the Council within one (1) month of implementing the ULDMP. Provision shall be made for remedial works to be undertaken if future inspections identify that any significant plants or areas of planting have not become established and/or planting has not occurred.</p> <p>9.8 The Transport Agency shall undertake inspections at two (2) and five (5) years after the implementation of the ULDMP, to confirm that the planting has been completed and plants have become established.</p> <p>9.9 Remedial works shall be undertaken by the Transport Agency no later than the next planting season to ensure implementation of the ULDMP.</p> <p><b>10 Maintaining Safe Access to Awakino Tunnel</b></p> <p>10.1.1 Upon completion of the Project:</p> <p>10.1.2 The Transport Agency shall maintain safe pedestrian / visitor access to the Awakino Tunnel via a rest area and walking track in general accordance with the Overview Plan (#C2002) contained in Appendix A.</p> <p>10.2 Deleted</p> <p><b>General</b></p> <p><b>11. Operational Noise</b></p> <p>11.1 As per NZS 6806, where practicable, all Protected Premises and Facilities (PPFs) identified in the Opus International Consultants SH3 Awakino Tunnel Bypass Project, <i>Assessment of Noise Effects</i>, August 2017, will achieve Category A noise criteria for altered roads. Where this is inconsistent with the best practicable option, the criteria of Category B shall apply. Where this would also be inconsistent with the best practicable option to achieve the noise criteria of Category B, the noise criteria of Category C of Table C shall apply.</p>

Category	Criterion	Altered roads	New roads	New road > 75,000 AADT (ie in Auckland)
A	External	64 dB	57 dB	64 dB
B	External	67 dB	64 dB	67 dB
C	Internal	40 dB	40 dB	40 dB

**Table C:** New Zealand Standard 6806 Guide to Assessing Road Traffic Noise:2010 (Source: Standards New Zealand)

**12 Operational Vibration**

- 12.1 No later than 12 months after completion of the Project, the surface vibrations shall not exceed 110 NAASRA counts per kilometre.

**13 Tangata Whenua**

- 13.1 Deleted  
13.2 Deleted  
13.3 Deleted  
13.4 Deleted  
13.5 Deleted

**Advice Note:**

*Deleted*

- 13.6 The Transport Agency must ensure at all times that secure post fencing is installed to delineate the Otiao Pa Exclusion Zone (as shown on plan number 2\_32705.00\_C2002 Overview Plan) for the preservation/protection of archaeological site R17/306. The delineation shall ensure that no heavy machinery or accidental damage occurs within the sub-soil strata of the archaeological site.
- 13.7 The construction of the project shall be carried out in accordance with all current industry standards and conditions as determined by the Council and Archaeological Authority 2018/646. Should any variation be considered in respect of the consented design and conditions, MKRRMC shall be consulted regarding the scale and extent of the variation proposed.
- 14 Deleted  
15 Deleted  
16 Deleted  
17 Deleted  
18 Deleted

**Advisory Notes – Deleted**

**Additional information**

Rollover designation

The following sections of State Highway 3 are Limited Access Road, as declared under Section 88 of the Government Roding Powers Act 1989:

- From the Ōtorohanga District boundary in the north to the Mangapu Bridge No 2 in the south (Gaz 1971 p 964);
- Mangapu River Bridge No 2 in the north to the Te Kuiti Borough boundary (ie. near the intersection with Te Kumi Loop Road) in the south (Gaz 1969 p 1338);
- From the southern boundary of Te Kuiti in the north to the intersection with State Highway 4 in the south (Gaz 1972 p 2425);
- From the intersection with State Highway 4 in the north to the northern abutment of the Kuratahi Stream Bridge in the south (Gaz 2000 p 1021);

	<ul style="list-style-type: none"> <li>From the intersection with Gribbin Street, Awakino in the north to north of Oha Street (ie. the southern boundary of Lot 1 DP 4235) in the south (Gaz 1972 p 1404).</li> </ul>
--	---

State Highway 4	
<b>Designation unique identifier</b>	NZTA02
<b>Designation purpose</b>	To construct, operate, maintain, and improve a state highway and associated infrastructure.
<b>Site identifier</b>	State Highway 4 from the intersection with State Highway 3 in the north to the Ruapehu District boundary in the south.
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	<p>Rollover designation</p> <p>Note:</p> <p>The following sections of State Highway 4 are Limited Access Road, as declared under Section 88 of the Government Roadway Powers Act 1989:</p> <ul style="list-style-type: none"> <li>From the intersection with State Highway 3 in the north to the northern abutment of the Mapara Stream bridge in the south (Gaz 2000 p 1021);</li> <li>From the 3B/6 District boundary in the north to the Ruapehu District boundary in the south (Gaz 1978 p 1324).</li> </ul>

State Highway 30	
<b>Designation unique identifier</b>	NZTA03
<b>Designation purpose</b>	To construct, operate, maintain, and improve a state highway and associated infrastructure.
<b>Site identifier</b>	State Highway 30 from the intersection with State Highway 3 at Te Kūiti in the north to the Otorohanga District boundary to the south-east.
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Varies
<b>Conditions</b>	<p>The conditions of the Designation (DS0005) still to be complied with by the Requiring Authority.</p> <p><b>Description of Works</b></p> <p>1.1. The works to give effect to the Designation of the New Zealand Transport Agency's (Waka Kotahi) State Highway 30, Kopaki Project (the Project) and associated Alteration to the Designation shall be in accordance with the State Highway 30 General Arrangement Plan and the Land Requirement Plan included as to the report titled "State Highway 30, Replacement Kopaki Overbridge: Alteration to Designation (the Notice)", dated 4 March 2020, except as modified by these designation conditions and subject to final detailed design.</p>



- 1.2. The works shall be undertaken in general accordance with the Design Plans and Designation Plans below, and contained in Appendix A:
- 1.2.1. Designation Plan:
- *SH30 Kopaki Stream Bridge Replacement Designation Plan, Drawing Number 146040-02-7502 revision G;*
- 1.2.2. Design Plans:
- *Overview SH30 Kopaki Stream Bridge Replacement Overview Plan Drawing Number 146040-02-1200 Rev O – Information*
  - *SH30 Kopaki Stream Bridge Replacement General Arrangement and Longsection Plans Drawing Series 146040-02-1201 – 1204 Rev O*
  - *SH30 Kopaki Stream Bridge Replacement Typical Cross Sections Drawing Series 146040-02-1301 to 1303 Rev O*
  - *SH30 Kopaki Stream Bridge Replacement Land Requirement Plan Drawing Number 146040-02-7001 Rev M*
  - *SH30 Kopaki Stream Bridge Replacement Indicative Earthworks Plan, Drawing 146040-02-3001 Rev O*
  - *The Landscape Plan prepared by BBO Consultants, Drawing Numbers 146040-02-6001 Rev OA, 146040-02-6002 Rev O and 146040-02-6003 Rev OA*
- 2. Construction Management Plan**
- 2.1 Deleted
- 2.2 At all times during construction, Waka Kotahi shall ensure that a copy of the latest approved version of the CMP (and sub management plans as required) are kept on site and on the Waka Kotahi website, and that all key personnel aware of each plan's contents.
3. Deleted
4. Deleted
- 5. Accidental Discovery of Archaeological or Culturally Significant Finds**
- 5.1 In the event that any archaeological sites, remains, artefacts, taonga (Maori artefacts) or koiwi are unearthed, dislodged, uncovered or otherwise found or discovered during the earthworks (Discovery) for the bridge replacement works, Waka Kotahi shall:
- (a) Adopt and follow the procedure defined under New Zealand Transport Agency Minimum Standard P/45 – Accidental Discovery Procedures, unless otherwise specified below.
  - (b) The work in the immediate affected area immediately cease, the area made safe, and Maniapoto Maori Trust Board, *Te Nehenehenui Maori Committee* and Heritage New Zealand Pouhere Taonga advised as soon as practicable and within 48 hours.
  - (c) Any bones uncovered shall be assessed by an archaeologist or osteologist, to determine whether the bones are animal or human.
  - (d) Any non-wooden artefacts discovered shall be analysed by an archaeologist, then registered if they fall within the definition of taonga tuturu. The non-wooden artefacts shall be returned to iwi/hapu. The Waka Kotahi shall also inform Heritage New Zealand Pouhere Taonga of the discovery.

	<p>(e) Any wooden artefacts found shall be retrieved immediately and taken to the laboratory at the University of Auckland for conservation, then registered if they fall within the definition of taonga tuturu. The wooden artefacts shall be returned to iwi/hapu when the conservation process is completed.</p> <p>(f) Works may recommence with the written approval of the Council's General Manager Strategy and Environment.</p> <p><b>Advice Note:</b>  <i>In providing such approval Waitomo District Council shall consider any views that may be provided by the Maniapoto Maori Trust Board, the Te Nehenehenui Maori Committee and Heritage New Zealand Pouhere Taonga.</i></p> <p>5.2 Deleted</p> <p><b>6. Planting Plan</b></p> <p>6.1 The planting shall be undertaken in general accordance with the Planting Plan submitted with the application (<i>Plan Reference: 146040-02-6001 Rev OA, 146040-02-6002 Rev O and 146040-02-6003 Rev OA</i>) and enclosed to this decision as Appendix A. Planting shall be implemented:</p> <p>(a) As soon as areas become available during the first planting season of construction works; or</p> <p>(b) Within twelve months of the road construction being issued a Certificate of Practical Completion in accordance with NZS 3910:1998 Conditions of Contract for Building and Civil Engineering Construction; or</p> <p>(c) If the seasonal timing of works makes some planting impracticable, the planting shall be completed no later than twenty-four months after the issue of the Certificate of Practical Completion.</p> <p>6.2 Waka Kotahi shall maintain all landscape planting and replace any unsuccessful planting undertaken as part of the Project for a period of 4 years following practical completion in accordance with "NZTA P39 Standard Specification for Highway Landscape Treatments 2013".</p> <p><b>7.</b> Deleted</p> <p><b>8.</b> Deleted</p> <p><b>Advice Notes:</b> - Deleted</p>
<b>Additional information</b>	Rollover designation

<b>State Highway 37</b>	
<b>Designation unique identifier</b>	NZTA04
<b>Designation purpose</b>	To construct, operate, maintain, and improve a state highway and associated infrastructure.
<b>Site identifier</b>	State Highway 37 from the intersection with State Highway 3 in the east to the intersection with Waitomo Valley Road, Waitomo in the west.
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No.

<b>Additional information</b>	<p>Rollover designation</p> <p>The following section of State Highway 37 is Limited Access Road, as declared under Section 88 of the Government Roading Powers Act 1989: From the intersection with State Highway 3 in the east to the intersection with Waitomo Valley Road in the west (Gaz 2000 p 4056).</p>
-------------------------------	---

# Spark New Zealand Trading Limited Designations

Te Kūiti Cell Site	
<b>Designation unique identifier</b>	SPK01
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Lot 1 DPS 63705 (RT: SA66B/778) State Highway 3, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Microwave Repeater Station	
<b>Designation unique identifier</b>	SPK02
<b>Designation purpose</b>	Telecommunications, radiocommunications and ancillary purposes
<b>Site identifier</b>	Part Lot DD DP 7219 and Part Section 10 Block VI Otanake SD (RT: SA47A/579) State Highway 3, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Secondary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

# The Lines Company Designations

Hangatiki Zone Substation	
<b>Designation unique identifier</b>	TLC01
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Delineated area within Lot 2 DPS 71444 (RT: SA57B/801) Waitomo Caves Road, Hangatiki
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Secondary
<b>Conditions</b>	<p><u>General</u></p> <p>1 The operation and construction of the T3 Transformer shall proceed in general accordance with the information submitted by the Requiring Authority in support of Notice of Requirement DS0002 officially received by Council on 17 May 2018 and the further information received 04 June 2018, except where another condition of this Designation must be complied with. The Land Requirement Plan approved with this Notice of Requirement is attached.</p> <p><u>Noise of T3 Transformer</u></p> <p>2 Following installation, the T3 Transformer shall not emit an effective sound power level exceeding 73 dBA LAeq measured one metre from the transformer main tank wall or sound wall (if required to be fitted for compliance), in accordance with the recommendations of the acoustic report prepared by Marshall Day Consultants Ltd entitled "Hangatiki Substation Acoustical Assessment" Rev. Rp 002 r01 20170016, dated 12 May 2017.</p> <p>3 Within a period of no less than six (6) months following the installation of the T3 Transformer, the noise level at locations MP01 – MP06 shall be measured to demonstrate compliance with condition 2, and the results provided to Waitomo District Council's Group Manager – Compliance, within ten (10) workings days of the measurements being undertaken. Measurement of noise shall be undertaken at the notional boundary of each receiver. The locations of those receivers are demonstrated within the acoustic report prepared by Marshall Day Consultants Ltd entitled "Hangatiki Substation Baseline Acoustic Survey" Rev. Rp001 r05 20170016, dated 28 April 2017.</p> <p>4 Advice note: "Notional boundary" means a line 20m from the most exposed external walls of any dwelling or any building used for accommodation; or the legal boundary of a site on which a dwelling is located, where that boundary is closer than 20m to the dwelling or building used for accommodation.</p> <p>5 Where the noise level measured in condition 3 shown an exceedance with the effective sound power limit of 73 dBA LAeq, the Requiring Authority shall undertake all works necessary to mitigate the effects of the exceedance. Following the implementation of those works, the noise level at those locations shall be measured and the results provided to Waitomo District Council's Group Manager – Compliance within ten (10) workings days of the measurements being undertaken.</p>

- 6 Noise levels shall be measured in accordance with the requirements of AS/NZS 60076.10:2009 Power Transformers and NZS 6801:2008 Measurement of Sound; and assessed in accordance with the requirements of NZS 6802:2008 Assessment of Environmental Sound.
- 7 The consent holder must undertake, at its expense, noise monitoring as and when required by an authorised officer of the Waitomo District Council as a result of reasonable and legitimate noise complaints. The results of this monitoring must be provided to the Waitomo District Council's Group Manager - Compliance within ten (10) working days of it being undertaken.

Cumulative Noise from New Activities

- 8 For any other activities to be undertaken via any subsequent Outline Plan of Works application pursuant to s176A of the Resource Management Act 1991 the cumulative noise levels shall be in general accordance with existing noise levels as referenced within Table 1 of the acoustic report prepared by Marshall Day Consultants Ltd entitled "Hangatiki Substation Baseline Acoustic Survey" Rev. RP001 r05 20170016, dated 28 April 2017, unless specifically authorised and assessed as part of the Outline Plan of Works application.

Construction Noise

- 9 Construction noise originating from all activities on the site shall comply with the provisions of NZS 6803:1999 Acoustics – Construction Noise.

Electric and Magnetic Fields

- 10 The works shall be designed and constructed to limit the electrical and magnetic field exposure at or beyond the boundary of the substation site boundary to the International Commission on Non-Ionising Radiation Protection Guidelines for limiting exposure to time-varying electric, magnetic and electromagnetic fields (up to 300 GHz) (Health Physics, 1998, 74(4): 494 – 522) (ICNIRP Guidelines).

Archaeological

- 11 The Requiring Authority shall ensure that the exercise of this designation does not disturb any sites of archaeological value. If taonga (treasured or prized possessions, including Maori artefacts) or archaeological sites are discovered in any area being earth-worked, the consent holder shall cease work within a 100m radius of the discovery immediately and contact local iwi, Heritage New Zealand (HNZ) and Waitomo District Council. Works shall not recommence in that area until a site inspection is carried out by iwi representatives, relevant Council staff and staff of HNZ (if they consider it necessary); the appropriate action has been carried out to remove the Taonga and record the site, or alternative action has been taken; and approval to continue work is given by Waitomo District Council. The site inspection shall occur within three (3) working days of the discovery being made.
- 12 If during construction activities, any Koiwi (skeletal remains) or similar material are uncovered, works are to cease within a 100m radius of the discovery immediately, and the Requiring Authority shall notify the New Zealand Police, local iwi, HNZ and Waitomo District Council. Works shall not recommence in that area until a site inspection is carried out by iwi representatives, relevant Council staff and staff from HNZ and the New Zealand Police (if they consider it necessary); the appropriate ceremony has been conducted by iwi (if

	<p>necessary); the materials discovered have been removed by the iwi responsible for the tikanga appropriate to their removal and preservation or re-interment, or alternative action (e.g. works are relocated) has been taken; and approval to continue work is given by Waitomo District Council.</p> <p><b>Monitoring and Enforcement</b></p> <p>13 The Requiring Authority shall notify the Waitomo District Council enforcement team in writing two (2) weeks prior to the commencement of activities associated with this designation.</p> <p><b>Advice Note:</b> <i>this advice should be emailed to: info@waitomo.govt.nz</i></p> <p>14 Pursuant to Section 36 of the Resource Management Act 1991, the Requiring Authority must pay the actual and reasonable costs incurred by the Waitomo District Council when monitoring the conditions of this designation.</p>
<b>Additional information</b>	Rollover designation

<b>Piripiri Zone Substation</b>	
<b>Designation unique identifier</b>	TLC02
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Lot 1 DP 431716 (RT: 522338) Te Anga Road, Te Anga
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Electric magnetic fields</u></p> <ol style="list-style-type: none"> <li>1. The works shall be designed and constructed to limit the EMF exposure at or beyond the secure boundary of the Sub-station site boundary to the International Commission on Non-Ionising Radiation Protection Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz) (Health Physics, 1998, 74(4): 494 –522) (ICNIRP Guidelines).</li> </ol> <p><u>Protocol for accidental discovery of archaeological site</u></p> <ol style="list-style-type: none"> <li>2. The following procedure will be adopted in the event that koiwi or taonga are unearthed or are reasonably suspected to have been unearthed during the course of construction and other activities. <ol style="list-style-type: none"> <li>(a) Immediately it becomes apparent or is suspected by workers at the site that koiwi or taonga have been uncovered, all activity at the site will cease.</li> <li>(b) The plant operator will shut down all machinery or activity immediately, leave the area and advise his or her Supervisor of the occurrence.</li> <li>(c) The Supervisor shall take steps immediately to secure the area in a way that ensures that koiwi or taonga remain untouched as far as possible in the circumstances and shall notify the Project Manager.</li> <li>(d) The Project Manager will notify the New Zealand Police, the project archaeologist and NZ Historic Places Trust or the</li> </ol> </li> </ol>

	<p>Department of Conservation (as the case may be) that it is suspected that koiwi and taonga have been uncovered at the site.</p> <p>(e) The Project Manager will also immediately notify the local iwi contact person that it is suspected that koiwi or taonga have been uncovered at the site.</p> <p>(f) Local iwi will contact the appropriate kaumatua to act on their behalf in this matter in order to guide and advise TLC and other parties as to the appropriate course and will immediately advise the Project Manager of the identity of such kaumatua and such other details as may be appropriate in the circumstances.</p> <p>(g) The Project Manager will ensure that an appropriate staff member is available to meet and guide kaumatua, police, the project archaeologist, DOC or Historic Places Trust staff to the site, assisting with any requests that they may make.</p> <p>(h) If the kaumatua are satisfied that the koiwi or taonga are of Māori origin the kaumatua will decide how they are to be dealt with and will communicate such decision to TLC, NZ Police and such other parties as are considered appropriate.</p> <p>(i) Activity on site will remain halted until the Police, an TLC appointed archaeologist, DOC, Historic Places Trust (as the case may be) and the kaumatua have given approval for operations to recommence.</p> <p>(j) The Project Manager shall ensure that kaumatua are given the opportunity to undertake karakia and such other religious or cultural ceremonies and activities at the site as may be considered appropriate in accordance with tikanga Māori (Māori custom and protocol).</p> <p>Definitions: In this condition the following terms shall have the meanings set out herein:</p> <ol style="list-style-type: none"> <li>Koiwi - means human remains such as skeletal material.</li> <li>Taonga - means cultural artefacts such as implements, weapons or decorations traditionally and historically utilised by tangata whenua and include parts or the remains thereof.</li> </ol>
<b>Additional information</b>	New designation

<b>Te Anga Zone Substation</b>	
<b>Designation unique identifier</b>	TLC03
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Lot 1 DP 431301 (RT: 521015) 112 Taharoa Road, Te Anga
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Electric magnetic fields</u></p> <ol style="list-style-type: none"> <li>The works shall be designed and constructed to limit the EMF exposure at or beyond the secure boundary of the Sub-station site boundary to the International Commission on Non-Ionising Radiation</li> </ol>



Protection Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz) (Health Physics, 1998, 74(4): 494 –522) (ICNIRP Guidelines).

Protocol for accidental discovery of archaeological site

2. The following procedure will be adopted in the event that koiwi or taonga are unearthed or are reasonably suspected to have been unearthed during the course of construction and other activities.
  - (a) Immediately it becomes apparent or is suspected by workers at the site that koiwi or taonga have been uncovered, all activity at the site will cease.
  - (b) The plant operator will shut down all machinery or activity immediately, leave the area and advise his or her Supervisor of the occurrence.
  - (c) The Supervisor shall take steps immediately to secure the area in a way that ensures that koiwi or taonga remain untouched as far as possible in the circumstances and shall notify the Project Manager.
  - (d) The Project Manager will notify the New Zealand Police, the project archaeologist and NZ Historic Places Trust or the Department of Conservation (as the case may be) that it is suspected that koiwi and taonga have been uncovered at the site.
  - (e) The Project Manager will also immediately notify the local iwi contact person that it is suspected that koiwi or taonga have been uncovered at the site.
  - (f) Local iwi will contact the appropriate kaumatua to act on their behalf in this matter in order to guide and advise TLC and other parties as to the appropriate course and will immediately advise the Project Manager of the identity of such kaumatua and such other details as may be appropriate in the circumstances.
  - (g) The Project Manager will ensure that an appropriate staff member is available to meet and guide kaumatua, police, the project archaeologist, DOC or Historic Places Trust staff to the site, assisting with any requests that they may make.
  - (h) If the kaumatua are satisfied that the koiwi or taonga are of Māori origin the kaumatua will decide how they are to be dealt with and will communicate such decision to TLC, NZ Police and such other parties as are considered appropriate.
  - (i) Activity on site will remain halted until the Police, an TLC appointed archaeologist, DOC, Historic Places Trust (as the case may be) and the kaumatua have given approval for operations to recommence.
  - (j) The Project Manager shall ensure that kaumatua are given the opportunity to undertake karakia and such other religious or cultural ceremonies and activities at the site as may be considered appropriate in accordance with tikanga Māori (Māori custom and protocol).

**Definitions:**

In this condition the following terms shall have the meanings set out herein:

- i. Koiwi - means human remains such as skeletal material.

	ii. Taonga - means cultural artefacts such as implements, weapons or decorations traditionally and historically utilised by tangata whenua and include parts or the remains thereof.
<b>Additional information</b>	New designation

<b>Gadsby Road Zone Substation</b>	
<b>Designation unique identifier</b>	TLC04
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Lot 3 DPS 14640 (RT: SA12C/1053) 15 Gadsby Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Electric magnetic fields</u></p> <ol style="list-style-type: none"> <li>1. The works shall be designed and constructed to limit the EMF exposure at or beyond the secure boundary of the Sub-station site boundary to the International Commission on Non-Ionising Radiation Protection Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz) (Health Physics, 1998, 74(4): 494 –522) (ICNIRP Guidelines).</li> </ol> <p><u>Protocol for accidental discovery of archaeological site</u></p> <ol style="list-style-type: none"> <li>2. The following procedure will be adopted in the event that koiwi or taonga are unearthed or are reasonably suspected to have been unearthed during the course of construction and other activities. <ol style="list-style-type: none"> <li>(a) Immediately it becomes apparent or is suspected by workers at the site that koiwi or taonga have been uncovered, all activity at the site will cease.</li> <li>(b) The plant operator will shut down all machinery or activity immediately, leave the area and advise his or her Supervisor of the occurrence.</li> <li>(c) The Supervisor shall take steps immediately to secure the area in a way that ensures that koiwi or taonga remain untouched as far as possible in the circumstances and shall notify the Project Manager.</li> <li>(d) The Project Manager will notify the New Zealand Police, the project archaeologist and NZ Historic Places Trust or the Department of Conservation (as the case may be) that it is suspected that koiwi and taonga have been uncovered at the site.</li> <li>(e) The Project Manager will also immediately notify the local iwi contact person that it is suspected that koiwi or taonga have been uncovered at the site.</li> <li>(f) Local iwi will contact the appropriate kaumatua to act on their behalf in this matter in order to guide and advise TLC and other parties as to the appropriate course and will immediately advise the Project Manager of the identity of such kaumatua and such</li> </ol> </li> </ol>

	<p>other details as may be appropriate in the circumstances.</p> <p>(g) The Project Manager will ensure that an appropriate staff member is available to meet and guide kaumatua, police, the project archaeologist, DOC or Historic Places Trust staff to the site, assisting with any requests that they may make.</p> <p>(h) If the kaumatua are satisfied that the koiwi or taonga are of Maori origin the kaumatua will decide how they are to be dealt with and will communicate such decision to TLC, NZ Police and such other parties as are considered appropriate.</p> <p>(i) Activity on site will remain halted until the Police, an TLC appointed archaeologist, DOC, Historic Places Trust (as the case may be) and the kaumatua have given approval for operations to recommence.</p> <p>(j) The Project Manager shall ensure that kaumatua are given the opportunity to undertake karakia and such other religious or cultural ceremonies and activities at the site as may be considered appropriate in accordance with tikanga Māori (Māori custom and protocol).</p> <p>Definitions: In this condition the following terms shall have the meanings set out herein:</p> <p>iii. Koiwi - means human remains such as skeletal material.</p> <p>iv. Taonga - means cultural artefacts such as implements, weapons or decorations traditionally and historically utilised by tangata whenua and include parts or the remains thereof.</p>
<b>Additional information</b>	New designation

<b>Waitete Road Zone Substation</b>	
<b>Designation unique identifier</b>	TLC05
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Part Lot 2 DPS 7194 (SA1797/62) Lot 1 DPS 7194 (SA13C/45) Lot 3 DPS 7194 (SA13C/46) 27 Waitete Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p>Conditions recommended by the Requiring Authority:</p> <p><u>Electric magnetic fields</u></p> <ol style="list-style-type: none"> <li>The works shall be designed and constructed to limit the EMF exposure at or beyond the secure boundary of the Sub-station site boundary to the International Commission on Non-Ionising Radiation Protection Guidelines for limiting exposure to time-varying electric, magnetic, and electromagnetic fields (up to 300 GHz) (Health Physics, 1998, 74(4): 494 –522) (ICNIRP Guidelines).</li> </ol>

Protocol for accidental discovery of archaeological site

2. The following procedure will be adopted in the event that koiwi or taonga are unearthed or are reasonably suspected to have been unearthed during the course of construction and other activities.
- (a) Immediately it becomes apparent or is suspected by workers at the site that koiwi or taonga have been uncovered, all activity at the site will cease.
  - (b) The plant operator will shut down all machinery or activity immediately, leave the area and advise his or her Supervisor of the occurrence.
  - (c) The Supervisor shall take steps immediately to secure the area in a way that ensures that koiwi or taonga remain untouched as far as possible in the circumstances and shall notify the Project Manager.
  - (d) The Project Manager will notify the New Zealand Police, the project archaeologist and NZ Historic Places Trust or the Department of Conservation (as the case may be) that it is suspected that koiwi and taonga have been uncovered at the site.
  - (e) The Project Manager will also immediately notify the local iwi contact person that it is suspected that koiwi or taonga have been uncovered at the site.
  - (f) Local iwi will contact the appropriate kaumatua to act on their behalf in this matter in order to guide and advise TLC and other parties as to the appropriate course and will immediately advise the Project Manager of the identity of such kaumatua and such other details as may be appropriate in the circumstances.
  - (g) The Project Manager will ensure that an appropriate staff member is available to meet and guide kaumatua, police, the project archaeologist, DOC or Historic Places Trust staff to the site, assisting with any requests that they may make.
  - (h) If the kaumatua are satisfied that the koiwi or taonga are of Māori origin the kaumatua will decide how they are to be dealt with and will communicate such decision to TLC, NZ Police and such other parties as are considered appropriate.
  - (i) Activity on site will remain halted until the Police, a TLC appointed archaeologist, DOC, Historic Places Trust (as the case may be) and the kaumatua have given approval for operations to recommence.
  - (j) The Project Manager shall ensure that kaumatua are given the opportunity to undertake karakia and such other religious or cultural ceremonies and activities at the site as may be considered appropriate in accordance with tikanga Māori (Māori custom and protocol).

## Definitions:

In this condition the following terms shall have the meanings set out herein:

- v. Koiwi - means human remains such as skeletal material.
- vi. Taonga - means cultural artefacts such as implements, weapons or decorations traditionally and historically utilised by tangata whenua and include parts or the remains thereof.

**Additional information**

New designation

Waitete Road Zone Substation	
<b>Designation unique identifier</b>	TLC06
<b>Designation purpose</b>	Electricity supply purposes
<b>Site identifier</b>	Lot 3 DPS 80846 (RT: SA65C/176) 30 Waitete Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	<p><u>General</u></p> <ol style="list-style-type: none"> <li>1. The scale and nature of works and the ongoing operation of the substation site shall be in general accordance with the information submitted by The Lines Company Limited in support of Notice of Requirement DS0006 including the "Planning Considerations Report and Assessment of Environmental Effects, 30 Waitete Road Zone Substation Designation", dated 31 August 2020; the additional information provided in the Edison Consulting Group letter dated 5 October 2020; and the email from Tim Lester dated 13 October 2020; except where another condition of this Designation must be complied with.</li> </ol> <p><u>Operational Noise</u></p> <ol style="list-style-type: none"> <li>2. The Waitete Road substation site shall be designed and operated to ensure the noise levels do not exceed the applicable noise performance standards of the Industrial Zone of the Operative Waitomo District Plan.</li> <li>3. Noise from the substation operation shall be measured in accordance with the requirements of NZS 6801:2008 'Acoustics Measurement of Environmental Sound'.</li> <li>4. Within one month of commissioning the substation, the noise levels at the site boundary shall be measured to determine compliance with the Waitomo District Plan. The results shall be forwarded to the Environmental Services Manager of the Waitomo District Council within one month of the measurements being completed. Noise from the substation operation shall be assessed in accordance with the requirements of NZS 6802: 2008 'Acoustics Environmental Noise' and shall be undertaken by a qualified acoustic engineer.</li> <li>5. If the noise levels do not comply with the required noise limits, then the requiring authority shall carry out necessary noise attenuation measures within one month of the report required under condition 4. Additional noise compliance reporting shall then be provided to satisfy condition 4.</li> </ol> <p><u>Construction: Dust / Noise</u></p> <ol style="list-style-type: none"> <li>6. Sediment control measures will be installed around earthworks activities and temporary stockpiles to prevent discharge, run-off and dust emissions.</li> <li>7. Within two weeks of earthworks being completed, areas of the site that are not forming the sealed or metalled yard or access to the site shall be planted, regressed or otherwise stabilised where earth has been disturbed.</li> <li>8. Construction at the site shall be restricted to Monday to Saturday: 7 am to 6pm.</li> </ol>

9. Noise from temporary construction and maintenance activities shall not exceed the limits recommended in, and shall be measured and assessed in accordance with, the requirements of NZS 6803:1999 'Acoustics - Construction Noise'.
10. Prior to construction a construction traffic management plan is to be submitted to the Waitomo District Council Environmental Services Manager and NZTA for approval.

#### Cultural

11. If during site works any urupa, traditional sites, taonga (significant artefacts), koiwi (human remains), or other archaeological sites are exposed, the following procedures shall apply:
  - a) All works in the immediate vicinity shall cease immediately;
  - b) The site supervisor shall immediately secure the area in a way that ensures that any artefacts or remains are not further disturbed;
  - c) If any finds of organic material are uncovered from water logged or impervious mud or clays, these shall be kept wet to prevent aerobic degradation until appropriate actions, such as conservation treatment, is determined, and
  - d) The site supervisor shall immediately notify Nga Mana whenua, Heritage NZ, the department of Conservation, the Waitomo District Council, and in the case of human remains, the New Zealand Police, that an archaeological or traditional site has been exposed, so that appropriate action can be taken. This includes such persons being given reasonable time as determined by the Waitomo District Council to record and recover archaeological features discovered, before work may recommence.

#### Amenity/Character

12. Landscaping and planting shall be completed in accordance with an approved Landscape Planting Plan to be lodged with Council as a component of the future s176A Outline Plan submission.
13. All lighting must be directed away from Waitete Road to prevent any glare towards traffic.

#### Health and Safety

14. Exposures to extremely low frequency electric and magnetic fields at the boundary of the site and at all publicly accessible areas within the site, shall comply with the guidelines recommended by the International Commission on Non-Ionising Radiation protection in 1998.

#### Hazardous Substances

15. The substation shall be operated in accordance with TLC's procedures for 'Oil Containment and Spill Mitigation'.
16. Prior to construction, a Transformer bund Design Plan shall be submitted to the Environmental Services Manager of the Waitomo District Council (in a certifying capacity).
17. The Transformer Bund Design Plan shall include, but not limited to the following:
  - a) A plan showing the location of the drainage system on site, including the bund, sump and the pipe work for drainage to the discharge point; and
  - b) A selection of spill contaminant volumes based on the quantity of oil in the transformers.

	<p><u>Transportation</u></p> <p>18. Prior to construction a construction traffic management plan is to be submitted to the Waitomo District Council Environmental Services Manager.</p> <p><u>New Zealand Transportation Agency</u></p> <p>19. No works shall be undertaken within State Highway 30 without the prior approval of the NZ Transport Agency pursuant to Section 51 of the Government Roding Powers Act 1989. A Traffic Management Plan and Consent to Work on the Highway shall be submitted to and approved by the Transport Agency at least seven working days prior to the commencement of any works on the state highway.</p> <p>20. The existing vehicle entrance (i.e eastern vehicle entrance) shall be upgraded and maintained to a Diagram C Standard (refer to Appendix B) as per the Regional Infrastructure Technical Specifications and the requiring authority shall provide confirmation from the NZ Transport Agency that the works have been completed to this standard.</p> <p>Advice Note: This entrance will need to be sealed to the legal boundary of the site to prevent loose debris from tracking onto State Highway 30.</p> <p>21. The consent holder shall construct and permanently maintain the new western access to a Diagram C Standard (refer to Appendix B) as per the Regional Infrastructure Technical Specifications.</p> <p><u>Monitoring and Enforcement</u></p> <p>22. The Requiring Authority shall notify the Waitomo District Council enforcement team in writing two (2) weeks prior to the commencement of activities associated with this designation.</p> <p>Advice Note: this advice should be emailed to: info@waitomo.govt.nz</p> <p>23. Pursuant to Section 36 of the Resource Management Act 1991, the Requiring Authority must pay the actual and reasonable costs incurred by the Waitomo District Council when monitoring the conditions of this designation.</p>
<b>Additional information</b>	Rollover designation

# Transpower New Zealand Limited Designations

Hangatiki substation	
<b>Designation unique identifier</b>	TPR01
<b>Designation purpose</b>	Electricity substation
<b>Site identifier</b>	Lot 2 DPS 71444 (RT: SA57B/801) Waitomo Caves Road, Hangatiki
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation



# Waipa Networks Limited Designations

Te Awamutu Reinforcement Project	
<b>Designation unique identifier</b>	WNL01
<b>Designation purpose</b>	To construct, operate, replace and maintain a 110kV transmission line
<b>Site identifier</b>	Lot 3 DPS 64768 (RT: SA52A/802) Lot 5 DPS 64768 (RT: SA52A/900) Portions of the Mangapu River Lot 4 DPS 53259 (RT: SA51B/864) State Highway 3 (Otorohanga-Te Kūiti) Lot 4 DPS 64768 (RT: SA52A/802) Lot 1 DPS 62836 (RT: SA51C/852) Lot 2 DPS 62836 (RT: SA51C/853) Lot 2 DPS 71444 (RT: SA57B/801) Section 4 SO 518392 (RT: 960375)
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	Given effect to (i.e. no lapse date)
<b>Additional information</b>	Rollover designation

# Waitomo District Council Designations

Te Kūiti Aerodrome	
<b>Designation unique identifier</b>	WDC01
<b>Designation purpose</b>	Airport runway and ancillary facilities and structures
<b>Site identifier</b>	Part Te Kumi 7C (Aerodrome NZGZ 1961 p712 SO 31636) Part Lots 1 & 2 DP 8140 (Aerodrome NZGZ 1961 p712 SO 31636) Lot 2 DP 7392 (Aerodrome NZGZ 1961 p712) 37 Te Kumi Station Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date).
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Aria Cemetery	
<b>Designation unique identifier</b>	WDC02
<b>Designation purpose</b>	Interment and remembrance of the dead and accessory buildings
<b>Site identifier</b>	Section 9 Block X Totoro SD (Cemetery Reserve NZGZ 1984 p2864 SO 3210) Barclay Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

Kiritehere Cemetery	
<b>Designation unique identifier</b>	WDC03
<b>Designation purpose</b>	Interment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Section 5 Block VI Marokopa SD (Cemetery Reserve NZGZ 1907 p3650 SO 16552) Soundy Road, Marokopa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mapiu Cemetery	
<b>Designation unique identifier</b>	WDC04
<b>Designation purpose</b>	Interment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Section 52 Block XI Mapara SD (SO 10372) McBeths Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mokau Cemetery	
<b>Designation unique identifier</b>	WDC05
<b>Designation purpose</b>	Interment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Section 17 Block I Awakino SD (Cemetery Reserve NZGZ 1960 p1748 SO 39658) Section 16 Block I Awakino SD (Cemetery Reserve NZGZ 1933 p1983 SO 26946) Part Section 1 Block I Mokau Village (Cemetery Reserve NZGZ 1898 p1552 SO 4233) Part Section 1 Block I Mokau Village (Cemetery Reserve NZGZ 1899 p2085 SO 4233) Aria Terrace, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Piopio Cemetery	
<b>Designation unique identifier</b>	WDC06
<b>Designation purpose</b>	Interment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Section 4 Block IX Otanake SD (Cemetery Reserve NZGZ 1916 p2413 SO 12615/A) Mangakowhai Road, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date).
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Te Kūiti Cemetery – New	
<b>Designation unique identifier</b>	WDC07
<b>Designation purpose</b>	Internment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Lot 1 DPS 2589 and Lot 1 DP 541975 (RT: 911726) Mangarino Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

Te Kūiti Cemetery – Old	
<b>Designation unique identifier</b>	WDC08
<b>Designation purpose</b>	Internment and remembrance of the dead, and accessory buildings
<b>Site identifier</b>	Section 7 Block XVI Orahiri SD (Cemetery Reserve NZGZ 1909 p2762 SO 11964) Part legal road Mangarino Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

Te Waitere Cemetery	
<b>Designation unique identifier</b>	WDC09
<b>Designation purpose</b>	Interment and remembrance of the dead and accessory buildings
<b>Site identifier</b>	Section 14 Block XIV Kawhia North SD (Cemetery Reserve NZGZ 1915 p3177 SO 18264) Te Waitere Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Aria Hall	
<b>Designation unique identifier</b>	WDC10
<b>Designation purpose</b>	Community and events facility

<b>Site identifier</b>	Section 5 Block 7 Town of Aria (Local Purpose Reserve, Hall NZGZ 1984 page 5471 SO 3227) Aria Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Maniaiti / Benneydale Hall</b>	
<b>Designation unique identifier</b>	WDC11
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Section 24 and 116 Block X Mapara SD (Local Purpose Reserve, Hall NZGZ 2015 In2577 RT: 697785) 12 Maniaiti Street, Maniaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

<b>Waitomo Cultural and Arts Centre</b>	
<b>Designation unique identifier</b>	WDC12
<b>Designation purpose</b>	Community, cultural and arts event facility
<b>Site identifier</b>	Lot 6 DP 4795 (RT: SA179/242) Lot 7 DP 4795 (RT: SA252/28) Lot 8 DP 4795 (RT: SA198/38) Lot 9 DP 4795 (RT: SA252/27) Lot 10 DP 4795 (RT: SA211/27) Lot 11 DP 4795 (RT: SA240/237) Lot 12 DP 4795 (RT: SA194/78) Lot 13 DP 4795 (Drainage Reserve) Lot 14 DP 4795 (Drainage Reserve) Lots 15 and 16 DP 4795 (RT: SA474/54) Lot 17 DP 4795 (RT: SA474/53) Part Lot 19 DP 4795 (RT: SA211/28) King Street East, Jennings Street, Esplanade, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mahoenui Hall	
<b>Designation unique identifier</b>	WDC13
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Lot 4 DP 10331 (RT: SA496/160) 6 Main Street, Mahoenui
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mairoa Hall	
<b>Designation unique identifier</b>	WDC14
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Sections 41 and 42 Mairoa Village (Hall NZGZ 1961 p562 SO 13325) 1124 Mairoa Road, Mangaotaki
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mapiu Hall	
<b>Designation unique identifier</b>	WDC15
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Lot 1 DP 8823 (RT: TN266/59) 2763 State Highway 4, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mokau Hall	
<b>Designation unique identifier</b>	WDC16
<b>Designation purpose</b>	Community and events facility, and public ablutions
<b>Site identifier</b>	Section 10 Block IV Mokau Village (RT: SA54/286) Sections 1 – 3 SO 473459 Section 1 SO 546569 (RT: 1017395)

	28 North Street, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

<b>Piopio War Memorial Hall</b>	
<b>Designation unique identifier</b>	WDC17
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Lot 9 DP 6751 (RT: SA260/104) 49 Moa Street, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Waitomo District Council Offices, Carpark and Depot</b>	
<b>Designation unique identifier</b>	WDC18
<b>Designation purpose</b>	Office, carparking and depot
<b>Site identifier</b>	Part Allot 11 Block XIV Te Kūiti Maori Township (RT: SA45D/268) Section 1 SO 58757 (RT: SA50C/67) 15 Queen Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Arapae Quarry</b>	
<b>Designation unique identifier</b>	WDC19
<b>Designation purpose</b>	Quarrying
<b>Site identifier</b>	Lot 1 DPS 46147 (RT: SA39C/796) Lot 1 DPS 13888 (RT: SA12B/1335) Oparure Road, Pomarangai
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary

<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

McKenzie Quarry	
<b>Designation unique identifier</b>	WDC20
<b>Designation purpose</b>	Quarrying
<b>Site identifier</b>	Lot 1 DP 16449 (TNJ1/431 and TNPR23/52) Aria Road, Aria
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Manganui Quarry	
<b>Designation unique identifier</b>	WDC21
<b>Designation purpose</b>	Quarrying
<b>Site identifier</b>	Section 7 Block V Awakino North SD (SO 40460) Manganui Road, Awakino
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Sewage Pump Station	
<b>Designation unique identifier</b>	WDC22
<b>Designation purpose</b>	Sewage pumping
<b>Site identifier</b>	Part of Te Kūiti A33A Block (RT: SA1017/25) 133 Esplanade, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

Rangitoto Quarry	
<b>Designation unique identifier</b>	WDC23



<b>Designation purpose</b>	Quarrying
<b>Site identifier</b>	Section 30 Block I Pakaumanu SD (RT: SA47C/688) Rangitoto Road, Rangitoto
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Manaiaiti / Benneydale Refuse Transfer Station</b>	
<b>Designation unique identifier</b>	WDC24
<b>Designation purpose</b>	Refuse transfer station and ancillary buildings
<b>Site identifier</b>	Part of Part section 21 Block X Mapara SD (RT: TNA2/449) Part legal road 115 Mine Road, Manaiaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti Refuse Disposal</b>	
<b>Designation unique identifier</b>	WDC25
<b>Designation purpose</b>	Decommissioned landfill and transfer station
<b>Site identifier</b>	Part Lot 1 DPS 9961 and Lot 1 DPS 15731 (RT: SA13D/596) Section 51 Block IV Otanake SD (RT: SA26B/879) Walker Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date).
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Kinohaku Refuse Transfer Station</b>	
<b>Designation unique identifier</b>	WDC26
<b>Designation purpose</b>	Refuse transfer station and ancillary buildings
<b>Site identifier</b>	Part Johnsons GRANT (RT: SA259/63) 2 Kawhia Harbour Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)

<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Piopia Refuse Transfer Station</b>	
<b>Designation unique identifier</b>	WDC27
<b>Designation purpose</b>	Refuse transfer station and ancillary buildings
<b>Site identifier</b>	Part of Lot 4 DPS 30865 (RT: SA28A/866) Part Legal Road 6 Aria Road, Piopia
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti Sanitary Landfill</b>	
<b>Designation unique identifier</b>	WDC28
<b>Designation purpose</b>	Landfill and transfer station and ancillary buildings
<b>Site identifier</b>	Te Kūiti B1 Block and Lot 1 DPS 19909 (RT: SA18A/642) Part Te Kūiti A42B2 Block (RT: SA13D/597) Lot 1 DPS 18392 (RT: SA22C/469) Section 48 Block IV Otanake SD (RT: SA11A/610) 45A William Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Maniaiti / Benneydale Sewage Treatment Plant</b>	
<b>Designation unique identifier</b>	WDC29
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid Waste, and sludge and ancillary buildings
<b>Site identifier</b>	Lot 1 DP 6040 (RT: 548718) and Part of Section 29 Block X Mapara SD (RT: 548719) 20 Georgetti Street, Maniaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)

<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

<b>Te Kūiti Oxidation Ponds</b>	
<b>Designation unique identifier</b>	WDC30
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings
<b>Site identifier</b>	Part Te Kumi A21 Block (RT: SA22D/243) Part Lot 1 DP 10413, Part Te Kumi 12B2B3B2A1 Block and Part Te Kumi A28 Block (RT: SA19C/34) Part Te Kumi A22 Block (RT: SA39A/282) Part Te Kumi A29 Block (RT: SA22D/244) 48 Te Kumi Station Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti Sewage Pump Station</b>	
<b>Designation unique identifier</b>	WDC31
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings
<b>Site identifier</b>	Part of Section 28 Block III Otanake SD (School Reserve NZGZ 1092 p734 SO 12201) Part Legal Road 1 Rora Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Secondary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Waitere Sewage Disposal</b>	
<b>Designation unique identifier</b>	WDC32
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings
<b>Site identifier</b>	Part of Lot 6 DP 501262 (RT: 748507)1057 Te Waitere Road, Taharoa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)

<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

<b>Te Waitere Sewage Disposal</b>	
<b>Designation unique identifier</b>	WDC33
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings
<b>Site identifier</b>	Lot 12 DPS 27769 Part Lot 8 DP 14750 (RT: 419493) Te Waitere Road / Whiteley Place, Te Waitere
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Manaiaiti / Benneydale Water Supply</b>	
<b>Designation unique identifier</b>	WDC34
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Lot 1 DP 7741 (RT: TNB1/962) Manaiaiti Road, Manaiaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Manaiaiti / Benneydale Water Supply</b>	
<b>Designation unique identifier</b>	WDC35
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Lot 1 DP 10165 (RT: 654065) Lot 1 DP 8361 (NZGZ 1984 p5471) Manaiaiti Road, Manaiaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Maniaiti / Benneydale Water Treatment Plant	
<b>Designation unique identifier</b>	WDC36
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Part of Part Section 11 Block X Mapara SD (RT: TNC1/668) Maniaiti Road, Maniaiti / Benneydale
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

Te Kūiti Water Reservoir	
<b>Designation unique identifier</b>	WDC37
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Part of Part Lot 4 Section 11 Block XIV Orahiri SD (RT: SA184/62) Mangarino Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Mokau Water Supply	
<b>Designation unique identifier</b>	WDC38
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Lot 2 DPS 21285 (RT: SA24B/678) Part of Section 2 SO 482206 (RT: 713962) State Highway 3, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

Mokau Water Supply	
<b>Designation unique identifier</b>	WDC39
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Lot 1 DPS 21285 (RT: SA24B/678)

	Section 1 SO 482206 (RT: 713961) State Highway 3, Mokau
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

<b>Piopia Water Reservoir</b>	
<b>Designation unique identifier</b>	WDC40
<b>Designation purpose</b>	Treatment, storage and pumping of water and ancillary buildings
<b>Site identifier</b>	Lot 1 DPS 32577 (RT: SA30A/710) Mangaotaki Road, Piopia
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Piopia Water Supply</b>	
<b>Designation unique identifier</b>	WDC41
<b>Designation purpose</b>	Treatment, storage and pumping of water and ancillary buildings
<b>Site identifier</b>	Lot 1 DPS 37857 and Lot 1 DPS 65565 (RT: SA56D/479) Kuratahi Street, Piopia
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti Water Reservoir</b>	
<b>Designation unique identifier</b>	WDC42
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Pukenui A23B Block (RT: SA1D/1160) Hetet Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No

<b>Additional information</b>	Rollover designation
-------------------------------	----------------------

<b>Te Kūiti Water Reservoir – Blackmans</b>	
<b>Designation unique identifier</b>	WDC43
<b>Designation purpose</b>	Treatment, storage and pumping of water and ancillary buildings
<b>Site identifier</b>	Lot 1 DP 434066 and Lot 2 DP 325769 (RT: 529128) 99B Awakino Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation with modifications to spatial boundary

<b>Te Kūiti Water Reservoir</b>	
<b>Designation unique identifier</b>	WDC44
<b>Designation purpose</b>	Treatment, storage and pumping of water, and ancillary buildings
<b>Site identifier</b>	Part of Part Lot 1 DP 36120 (RT: SA925/265) 30 Alisa Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

<b>Te Kūiti Water Supply</b>	
<b>Designation unique identifier</b>	WDC45
<b>Designation purpose</b>	Water storage, supply intake, treatment and pumping of water and ancillary buildings
<b>Site identifier</b>	Part Pukenui A14A Block (RT: SA1003/229) Part of Part Pukenui A14B2 Block (RT: SA1273/94) Part Pukenui A14A and 2D3A Block (Soil Conservation and River Control Reserve NZGZ 1980 p2612) River Bed SO 47882 – Soil Conservation and River Control Reserve (NZGZ 1980 p2612) Waitete Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Awakino Refuse Transfer Station	
<b>Designation unique identifier</b>	WDC46
<b>Designation purpose</b>	Refuse transfer station and ancillary buildings
<b>Site identifier</b>	No legal description. The site is located within the road reserve. Manganui Road, Awakino
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Marokopa Refuse Transfer Station	
<b>Designation unique identifier</b>	WDC47
<b>Designation purpose</b>	Refuse transfer station and ancillary buildings
<b>Site identifier</b>	Part of Lot 2 DPS 74923 (RT: SA60B/312) Part of Lot 1 DPS 80303 (RT: 296840) Part Legal Road 1408 Marokopa Road, Marokopa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

Marokopa Hall	
<b>Designation unique identifier</b>	WDC48
<b>Designation purpose</b>	Community and events facility
<b>Site identifier</b>	Part of Lot 1 DPS 9815 (RT: SA5B/430) 31 Marokopa Road, Marokopa
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	Rollover designation

Piopio Wastewater Treatment Plant	
<b>Designation unique identifier</b>	WDC49
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings



<b>Site identifier</b>	Lot 1 DPS 12822 (RT: SA11A/747) 31 Tui Street, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

<b>Piopio Wastewater Treatment Plant</b>	
<b>Designation unique identifier</b>	WDC50
<b>Designation purpose</b>	Treatment and disposal of sewage, liquid waste and sludge, and ancillary buildings
<b>Site identifier</b>	Section 1 SO 452967 (RT: 587201) Huia Street, Piopio
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

<b>Sewage Pump Station</b>	
<b>Designation unique identifier</b>	WDC51
<b>Designation purpose</b>	Sewage pumping
<b>Site identifier</b>	Tammadge Street, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation

<b>Sewage Pump Station</b>	
<b>Designation unique identifier</b>	WDC52
<b>Designation purpose</b>	Sewage pumping
<b>Site identifier</b>	Part of Part Lot 3 SO 21570 Part of Riverbed Te Kumi Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary

<b>Conditions</b>	No
<b>Additional information</b>	New designation

<b>Sewage Pump Station</b>	
<b>Designation unique identifier</b>	WDC53
<b>Designation purpose</b>	Sewage pumping
<b>Site identifier</b>	Part of Lot 4 DP 409215 (RT: 442138) 69 Waitete Road, Te Kūiti
<b>Lapse date</b>	Given effect to (i.e. no lapse date)
<b>Designation hierarchy under section 177 of the Resource Management Act</b>	Primary
<b>Conditions</b>	No
<b>Additional information</b>	New designation